AUTHOR INDEX

A

Aaronson, S. A., *See* Pierce and Aaronson.

Abrahamson, D. R., and Caulfield, J. P. Proteinuria and structural alterations in rat glomerular basement membranes induced by intravenously injected anti-laminin immunoglobulin G. 128

Adams, J. M., *See* Kemp, Adams, Mottram, Thomas, Walker, and Miller.

Ahmad, A., *See* Volkman, Ahmad, Fauci, and Neville.

Ahmed, A., *See* Wiktor-Jedrzejczak, Ahmed, Szczylik, and Skelly.

Albino, A. P., *See* Houghton, Eisinger, Albino, Cairncross, and Old.

Allard, J., *See* Nabel, Allard, and Cantor.

Altman, A., *See* Schreiber, Altman, and Katz.

Anderson, C. L. Isolation of the receptor for IgG from a human monocyte cell line (U937) and from human peripheral blood monocytes. 1794

Arnold, B., Wallich, R., and Hämmerling, G. J. Elicitation of delayed-type hypersensitivity to phosphorylcholine by monoclonal anti-idiotypic antibodies in an allogeneic environment. 670

Asano, Y., Shigeta, M., Fathman, C. G., Singer, A., and Hodes, R. J. Role of the major histocompatibility complex in T cell activation of B cell subpopulations. A single monoclonal T helper cell population activates different B cell subpopulations by distinct pathways. 350

Askenase, P. W., *See* Mitchell and Askenase.

Astle, C. M., *See* Harrison and Astle.

B

Bach, F. H., *See* Wee, Chen, Strassmann, and Bach.

Bach, J. -F., *See* Savino, Dardenne, Papiernik, and Bach.

Baltz, M. L., *See* Rordorf, Schnebli, Baltz, Tennent, and Pepys.

—, *See* de Beer, Soutar, Baltz, Trainer, Feinstein, and Pepys.

Barbour, A. G., Tessier, S. L., and Stoenner, H. G. Variable major proteins of *Borrelia hermsii*. 1312

Barclay, A. N., and Mason, D. W. Induction of Ia antigen in rat epidermal cells and gut epithelium by immunological stimuli. 1665

Bargellesi, A., *See* Corte, Moretta, Cosulich, Ramarli, and Bargellesi.

Bartlett, S. P., *See* Soper, Bartlett, and Winn.

Barton, R. W., *See* Greiner, Goldschneider, and Barton.

Basten, A., *See* Raison, Walker, Halnan, Briscoe, and Basten.

Batchelor, J. R., *See* Lechler and Batchelor.

Baxevanis, C., Ishii, N., Nagy, Z. A., and Klein, J. H-2-controlled suppression of T cell response to lactate dehydrogenase B. Characterization of the lactate dehydrogenase B suppressor pathway. 822

Beachey, E. H., *See* Dale and Beachey.

Beck, B. N., Frelinger, J. G., Shigeta, M., Infante, A. J., Cummings, D., Hämmerling, G., and Fathman, C. G. T cell clones specific for hybrid I-A molecules. Discrimination with monoclonal anti-I-A^k antibodies. 1186

Beller, D. I., Springer, T. A., and Schreiber, R. D. Anti-Mac-1 selectively inhibits the mouse and human type three complement recemptor. 1000

Benacerraf, B., *See* Sy, Lee, Tsurufuji, Rock, Benacerraf, and Finberg.

—, *See* Takaoki, Sy, Tominaga, Lowy, Tsurufuji, Finberg, Benacerraf, and Greene.

Benammar, A., and Cazenave, P.-A. A second rabbit kappa isotype. 585

Berzofsky, J. A., *See* Kohno and Berzofsky.

—, *See* Kohno and Berzofsky.

Biddison, W. E., Rao, P. E., Talle, M. A., Goldstein, G., and Shaw, S. Possible involvement of the OKT4 molecule in T cell recognition of class II HLA antigens. Evidence from studies of cytotoxic T lymphoyctes specific for SB antigens. 1065

Binion, S. B., and Rodkey, L. S. Naturally induced auto-anti-idiotypic antibodies. Induction by identical idiotopes in some members of an outbred rabbit family. 860

Bjorklund, M., and Coutinho, A. Isotype commitment in the in vivo immune responses. I. Antigen-dependent specific and polyclonal plaque-forming cell responses by B lymphocytes induced to extensive proliferation. 690

Blaese, R. M., *See* Hall, Blaese, Davis, Decker, Tack, Colten, and Muchmore.

Blobel, G., *See* Conner, Nelson, Wisniewolski, Lahita, Blobel, and Kunkel.

Bona, C. A., *See* Rubinstein, Yeh, and Bona.

—, **Finley, S., Waters, S., and Kunkel, H. G.** Anti-immunoglobulin antibodies. III. Properties of sequential anti-idiotypic antibodies to heterlogous anti-γ globulins. Detection of reactivity of anti-idiotype antibodies with epitopes of Fc fragments (homobodies) and with epitopes and idiotopes (epibodies). 986

Borel, Y., *See* Harris, Cairns, Rosen, and Borel.

Bowers, W. E., *See* Klinkert, LaBadie, and Bowers.

Boyse, E. A., *See* Ranges, Scheid, Goldstein, and Boyse.

Braciale, T. J., *See* Braciale, Gavin, and Braciale.

Braciale, V. L., Gavin, J. R. III, and Braciale, T. J. Inducible expression of insulin receptors on T lymphocyte clones. 664

Bradley, S. M., Kruisbeek, A. M., and Singer, A. Cytotoxic T lymphocyte responses in allogeneic radiation bone marrow chimeras. The chimeric host strictly

dictates the self-repertoire of Ia-restricted T cells but not H-2K/D-restricted T cells. 1650

Braude, A. I., *See* Harriman, Podack, Braude, Corbeil, Esser, and Curd.

Briles, D. E., Forman, C., Hudak, S., and Claflin, J. L. Anti-phosphorylcholine antibodies of the T15 idiotype are optimally protective against *Streptococcus pneumoniae*. 1177

Briscoe, D., *See* Raison, Walker, Halnan, Briscoe, and Basten.

Burakoff, S. J., *See* Duprez, Hamilton, and Burakoff.

Burger, E. H., Van Der Meer, J. W. M., Van De Gevel, J. S., Gribnau, J. C., Thesingh, C. W., and Van Furth, R. In vitro formation of osteoclasts from long-term cultures of bone marrow mononuclear phagocytes. 1604

C

Cairncross, J. G., *See* Houghton, Eisinger, Albino, Cairncross, and Old.

Cairns, L., *See* Harris, Cairns, Rosen, and Borel.

Calvelli, T. A., Freedman, V. H., Silverstein, S. C., and Silagi, S. Leukocyte subpopulations elicited by a nontumorigenic variant of B16 melanoma: their role in direct rejection of the melanoma and in prevention of tumorigenesis in Winn assays. 1723

Cambier, J. C., Monroe, J. G., and Neale, M. J. Definition of conditions that enable antigen-specific activation of the majority of isolated trinitrophenol-binding B cells. 1635

Cantor, H., *See* Nabel, Allard, and Cantor.

Capra, J. D., *See* Hurley, Shaw, Nadler, Schlossman, and Capra.

Caulfield, J. P., *See* Abrahamson and Caulfield.

Cazenave, P. -A., *See* Benammar and Cazenave.

—, *See* Primi, Mami, Le Guern, and Cazenave.

Cerny, J., Heusser, C., Wallich, R., Hämmerling, G. J., and Eardley, D. D. Immunoglobulin idiotopes expressed by T cells. I. Expression of distinct idiotopes detected by monoclonal antibodies on antigen-specific suppressor T cells. 719

Cerottini, J.-C., *See* Macdonald, Glasebrook, and Cerottini.

Chen, L. K., *See* Wee, Chen, Strassmann, and Bach.

Chenoweth, D. E., *See* Goodman, Chenoweth, and Weigle.

—, **Goodman, M. G., and Weigle, W. O.** Demonstration of a specific receptor for human C5a anaphylatoxin on murine macrophages. 68

Chiorazzi, N., Wasserman, R. L., and Kunkel, H. G. Use of Epstein-Barr virus-transformed B cell lines for the generation of immunoglobulin-producing human B cell hybridomas. 930

Chomcharn, Y., *See* Nardin, Nussenzweig, Nussenzweig, Collins, Harinasuta, Tapchaisri, and Chomcharn.

Cianfriglia, M., *See* Conzelmann, Silva, Cianfriglia, Tougne, Sekaly, and Nabholz.

Ciavarra, R., and Forman, J. *H-2L*-restricted recognition of viral antigens. In the *H-2*^{d} haplotype, anti-vesicular stomatitis virus cytotoxic T cells are restricted solely by *H-2L*. 778

Claflin, J. L., *See* Briles, Forman, Hudak, and Claflin.

Clark, R. A. F., Quinn, J. H., Winn, H. J., Lanigan, J. M., Dellepella, P., and Colvin, R. B. Fibronectin is produced by blood vessels in response to injury. 646

Cohen, P. L., and Eisenberg, R. A. Anti-idiotypic antibodies to the Coombs antibody in NZB F_1 mice. 173

Cohn, Z. A., *See* Rouzer, Scott, Hamill, Liu, Katz, and Cohn.

—, *See* Young, Young, Lu, Unkeless, and Cohn.

Collins, W. E., *See* Nardin, Nussenzweig, Nussenzweig, Collins, Harinasuta, Tapchaisri, and Chomcharn.

Colten, H. R., *See* Hall, Blaese, Davis, Decker, Tack, Colten, and Muchmore.

Colvin, R. B., *See* Clark, Quinn, Winn, Lanigan, Dellepella, and Colvin.

Compans, R. W., *See* Shaw, Lamon, and Compans.

Conley, M. E., and Koopman, W. J. In vitro regulation of IgA subclass synthesis. I. Discordance between plasma cell production and antibody secretion. 1615

Conner, G. E., Nelson, D., Wisniewolski, R., Lahita, R. G., Blobel, G., and Kunkel, H. G. Protein antigens of the RNA-protein complexes detected by anti-SM and anti-RNP antibodies found in serum of patients with systemic lupus erythematosus and related disorders. 1475

Conzelmann, A., Silva, A., Cianfriglia, M., Tougne, C., Sekaly, R. P., and Nabholz, M. Correlated expression of T cell growth factor dependence, sensitivity to *Vicia villosa* lectin, and cytolytic activity in hybrids between cytolytic T cells and T lymphomas. 1335

Cooper, M. D., *See* Kubagawa, Mayumi, Kearney, and Cooper.

Corbeil, L. C., *See* Harriman, Podack, Braude, Corbeil, Esser, and Curd.

Corte, G., Moretta, A., Cosulich, M. E., Ramarli, D., and Bargellesi, A. A monoclonal anti-DC1 antibody selectively inhibits the generation of effector T cells mediating specific cytolytic activity. 1539

Cosulich, M. E., *See* Corte, Moretta, Cosulich, Ramarli, and Bargellesi.

Coutinho, A., *See* Björklund and Coutinho.

Cowdery, J. S., Curtin, M. F., Jr., and Steinberg, A. D. Effect of prior intragastric antigen administration on primary and secondary anti-ovalbumin responses of C57Bl/6 and NZB mice. 1256

Cummings, D., *See* Beck, Frelinger, Shigeta, Infante, Cummings, Hämmmering, and Fathman.

Curd, J. G., *See* Harriman, Podack, Braude, Corbeil, Esser, and Curd.

Curtin, M. F., Jr., *See* Cowdery, Curtin, and Steinberg.

Cuttner, J., *See* Nunez-Roldan, Szer, Toguchi, Cuttner, and Winchester.

D

Dale, J. B., and Beachey, E. H. Protective antigenic determinant of streptococcal M protein shared with sarcolemmal membrane protein of human heart. 1165

Dales, S., and Oldstone, M. B. A. Localization at high resolution of antibody-induced mobilization of vaccinia virus hemagglutinin and the major histocompatibility antigens on the plasma membrane of infected cells. 1435

Dardenne, M., *See* Savino, Dardenne, Papiernik, and Bach.

David, J. R., *See* Dessein, Vadas, Nicola, Metcalf, and David.

Davis, A. E. III, *See* Hall, Blaese, Davis, Decker, Tack, Colten, and Muchmore.

de Beer, F. C., Soutar, A. K., Baltz, M. L., Trainer, I., Feinstein, A., and Pepys, M. B. Low density lipoprotein and very low density lipoprotein are selectively bound by aggregated C-reactive protein. 230

Decker, J. M., *See* Hall, Blaese, Davis, Decker, Tack, Colten, and Muchmore.

Dellepella, P., *See* Clark, Quinn, Winn, Lanigan, Dellepella, and Colvin.

DeLustro, F., *See* Mackel, DeLustro, and LeRoy.

DeMars, R., *See* Shaw, DeMars, Schlossman, Smith, Lampson, and Nadler.

Dessein, A. J., Vadas, M. A., Nicola, N. A., Metcalf, D., and David, J. R. Enhancement of human blood eosinophil cytotoxicity by semi-purified eosinophil colony-stimulating factor(s). 90

Djeu, J. Y., Stocks, N., Zoon, K., Stanton, G. J., Timonen, T., and Herberman, R. B. Positive self regulation of cytotoxicity in human natural killer cells by production of interferon upon exposure to influenza and herpes viruses. 1222

Dodd, T., *See* Stoenner, Dodd, and Larsen.

Doherty, P. C., *See* Schwartz and Doherty.

Dorf, M. E., *See* Minami, Furusawa, and Dorf.

—, *See* Minami, Honji, and Dorf.

Drummond, G. S., and Kappas, A. Suppression of hyperbilirubinemia in the rat neonate by chromium-protoporphyrin. Interactions of metalloporphyrins with microsoma heme oxygenase of human spleen. 1878

Duprez, V., Hamilton, B., and Burakoff, S. J. Generation of cytolytic T lymphocytes in thymectomized, irradiated, and bone marrow-reconstituted mice. 844

Duquesnoy, R. J., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.

Dutton, R. W., *See* Swain and Dutton.

—, *See* Wetzel, Swain, and Dutton.

E

Eardley, D. D., *See* Cerny, Heusser, Wallich, Hämmerling, and Eardley.

Eberlein, T. J., Rosenstein, M., and Rosenberg, S. A. Regression of a disseminated syngeneic solid tumor by systemic transfer of lymphoid cells expanded in interleukin 2. 385

Eda, Y., *See* Watanabe, Eda, and Ohara.

Eichmann, K., *See* Melchers, Fey, and Eichmann.

Eisenberg, R. A., *See* Cohen and Eisenberg.

Eisinger, M., *See* Houghton, Eisinger, Albino, Cairncross, and Old.

Eldridge, J. H., *See* Kiyono, McGhee, Mosteller, Eldridge, Koopman, Kearney, and Michalek.

Engers, H. D., Glasebrook, A. L., and Sorenson, G. D. Allogeneic tumor rejection by the intravenous injection of Lyt-2$^+$ cytolytic T lymphocyte clones. 1280

Engleman, E. G., *See* Gatenby, Kotzin, Kansas, and Engleman.

Esser, A. F., *See* Harriman, Podack, Braude, Corbeil, Esser, and Curd.

F

Fathman, C. G., *See* Asano, Shigeta, Fathman, Singer, and Hodes.

—, *See* Beck, Frelinger, Shigeta, Infante, Cummings, Hämmerling, and Fathman.

Fauci, A. S., *See* Volkman, Ahmad, Fauci, and Neville.

Feinstein, A., *See* de Beer, Soutar, Baltz, Trainer, Feinstein, and Pepys.

Feldman, S. P., *See* Welte, Wang, Mertelsmann, Venuta, Feldman, and Moore.

Fey, K., *See* Melchers, Fey, and Eichmann.

Finberg, R., *See* Sy, Lee, Tsurufuji, Rock, Benacerraf, and Finberg.

—, *See* Takaoki, Sy, Tominaga, Lowy, Tsurufuji, Finberg, Benacerraf, and Greene.

Finley, S., *See* Bona, Finley, Waters, and Kunkel.

Flood, P., Yamauchi, K., Singer, A., and Gershon, R. K. Homologies between cell interaction molecules controlled by major histocompatibility complex- and Igh-V-linked genes that T cells use for communication. Tandem adaptive differentiation of producer and acceptor cells. 1390

—, **Yamauchi, K., and Gershon, R. K.** Analysis of the interactions between two molecules that are required for the expression of Ly-2 suppressor cell activity. Three different types of focusing events may be needed to deliver the suppressive signal. 361

Forman, C., *See* Briles, Forman, Hudak, and Claflin.

Forman, J., *See* Ciavarra and Forman.

Freedman, V. H., *See* Calvelli, Freedman, Silverstein, and Silagi.

Freeman, R. R., *See* Holder and Freeman.

Frelinger, J. A., *See* Linthicum and Frelinger.

Frelinger, J. G., *See* Beck, Frelinger, Shigeta, Infante, Cummings, Hämmerling, and Fathman.

Fu, S. M., *See* Mayer, Fu, and Kunkel.

Fuller, T. C., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.

Furusawa, S., *See* Minami, Furusawa, and Dorf.

G

Gatenby, P. A., Kotzin, B. L., Kansas, G. S., and Engleman, E. G. Immunoglobulin secretion in the human autologous mixed leukocyte reaction. Definition of a suppressor-amplifier circuit using monoclonal antibodies. 55

Gaudernack, G., *See* Kaplan and Gaudernack.
Gauthier, V. J., Mannik, M., and Striker, G. E. Effect of cationized antibodies in preformed immune complexes on deposition and persistence in renal glomeruli. 766
Gavin, J. R. III, *See* Braciale, Gavin, and Braciale.
Gebel, H. M., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.
Gershon, R. K., *See* Flood, Yamauchi, Singer, and Gershon.
—, *See* Flood, Yamauchi, and Gershon.
Glasebrook, A. L., *See* Engers, Glasebrook, and Sorenson.
—, *See* Macdonald, Glasebrook, and Cerottini.
Gleason, K., and Kohler, H. Regulatory idiotopes. T helper cells recognize a shared V_H idiotope on phosphorylcholine-specific antibodies. 539
Glimcher, L. H., and Shevach, E. M. Production of autoreactive I region-restricted T cell hybridomas. 640
Goetzl, E. J., *See* Payan, Trentham, and Goetzl.
Goldman, C. K., *See* Korsmeyer, Hieter, Sharrow, Goldman, Leder, and Waldmann.
Goldschneider, I., *See* Greiner, Goldschneider, and Barton.
Goldstein, G., *See* Biddison, Rao, Talle, Goldstein, and Shaw.
—, *See* Ranges, Scheid, Goldstein, and Boyse.
Golub, S. H., *See* Torten, Sidell, and Golub.
Goodman, M. G., *See* Chenoweth, Goodman, and Weigle.
—, **Chenoweth, D. E., and Weigle, W. O.** Induction of interleukin 1 secretion and enhancement of humoral immunity by binding of human C5a to macrophage surface C5a receptors. 912
Goodwin, J. S., *See* Odukaira, Goodwin, and Williams.
Goyert, S. M., Shively, J. E., and Silver, J. Biochemical characterization of a second family of human Ia molecules, HLA-DS, equivalent to murine I-A subregion molecules. 550
Greene, M. I., *See* Perry and Greene.
—, *See* Takaoki, Sy, Tominaga, Lowy, Tsurufuji, Finberg, Benacerraf, and Greene.
Greiner, D. L., Goldschneider, I., and Barton, R. W. Identification of thymocyte progenitors in hemopoietic tissues of the rat. II. Enrichment of functional prothymocytes on the fluorescence-activated cell sorter. 1448
Gribnau, J. C., *See* Burger, Van Der Meer, Van De Gevel, Gribnau, Thesingh, and Van Furth.
Grunwald, D. J., Miller, K., and Risser, R. P80: a tumor-related protein found in many lymphomas of mice. 1195

H

Hall, R. E., Blaese, R. M., Davis, A. E. III, Decker, J. M., Tack, B. F., Colten, H. R., and Muchmore, A. V. Cooperative interaction of factor B and other complement components with mononuclear cells in the antibody-independent lysis of xenogeneic erythrocytes. 834
Halnan, C. R. E., *See* Raison, Walker, Halnan, Briscoe, and Basten.
Hamill, A. L., *See* Rouzer, Scott, Hamill, Liu, Katz, and Cohn.
Hamilton, B., *See* Duprez, Hamilton, and Burakoff.
Hämmerling, G. J., *See* Cerny, Heusser, Wallich, Hämmerling, and Eardley.
—, *See* Arnold, Wallich, and Hämmerling.
—, *See* Beck, Frelinger, Shigeta, Infante, Cummings, Hämmerling, and Fathman.
Harinasuta, K. T., *See* Nardin, Nussenzweig, Nussenzweig, Collins, Harinasuta, Tapchaisri, and Chomcharn.
Harriman, G. R., Podack, E. R., Braude, A. I., Corbeil, L. C., Esser, A. F., and Curd, J. G. Activation of complement by serum-resistant *Neisseria gonorrhoeae*. Assembly of the membrane attack complex without subsequent cell death. 1235
Harris, D. E., Cairns, L., Rosen, F. S., and Borel, Y. A natural model of immunologic tolerance. Tolerance to murine C5 is mediated by T cells, and antigen is required to maintain unresponsiveness. 567
Harrison, D. E., and Astle, C. M. Loss of stem cell repopulating ability upon transplantation. Effects of donor age, cell number, and transplantation procedure. 1767
Havele, C., Wegman, T. G., and Longenecker, B. M. Tolerance and autoimmunity to erythroid differentiation (B-G) major histocompatibility complex alloantigens of the chicken. 321
Havell, E. A., Spitalny, G. L., and Patel, P. J. Enhanced production of murine interferon γ by T cells generated in response to bacterial infection. 112
Hayakawa, K., *See* Okumura, Hayakawa, and Tada.
Häyry, P., *See* Nemlander, Soots, von Willebrand, Husberg, and Häyry.
Helfand, S. L., Werkmeister, J., and Roder, J. C. Chemiluminescence response of human natural killer cells. I. The relationship between target cell binding, chemiluminiescence, and cytolysis. 492
Hendershot, L., and Levitt, D. Differential regulation of membrane and secretory μ chain synthesis in human B cell lines. Regulation of membrane μ or secreted μ. 1622
Henson, J. E., *See* Newman, Henson, and Henson.
Henson, P. M., *See* Newman, Henson, and Henson.
Herberman, R. B., *See* Djeu, Stocks, Zoon, Stanton, Timonen, and Herberman.
Heusser, C., *See* Cerny, Heusser, Wallich, Hämmerling, and Eardley.
Hieter, P. A., *See* Korsmeyer, Hieter, Sharrow, Goldman, Leder, and Waldmann.
Hodes, R. J., *See* Asano, Shigeta, Fathman, Singer, and Hodes.
—, *See* Singer and Hodes.
Hoffman, M. D., *See* Thomas, Hoffman, and Wilner.
Holder, A. A., and Freeman, R. R. Biosynthesis of a *Plasmodium falciparum* schizont antigen recognized by immune serum and a monoclonal antibody. 1528
Holland, J. M., *See* Urban, Holland, Kripke, and Schreiber.
Honji, N, *See* Minami, Honji, and Dorf.

Horowitz, J. M., *See* McCubrey, Horowitz, and Risser.
Houghton, A. N., Eisinger, M., Albino, A. P., Cairncross, J. G., and Old, L. J. Surface antigens of melanocytes and melanomas. Markers of melanocyte differentiation and melanoma subsets. 1735
Hudak, S., *See* Briles, Forman, Hudak, and Claflin.
Hunt, K. D., *See* Pfau, Valenti, Pevear, and Hunt.
Hurley, C., Shaw, S., Nadler, L., Schlossman, S., and Capra, J. D. The alpha and beta chains of SB and DR antigens are structurally distinct. 1557
Husberg, B., *See* Nemlander, Soots, von Willebrand, Husberg, and Häyry.
Huston, D. P., *See* Smith, Huston, and Rich.

I

Iida, K., *See* Medof, Iida, Mold, and Nussenzweig.
Infante, A. J., *See* Beck, Frelinger, Shigeta, Infante, Cummings, Hämmerling, and Fathman.
Ishii, N., *See* Baxevanis, Ishii, Nagy, and Klein.
—, **Nagy, Z. A., and Klein, J.** Restriction molecules involved in the interaction of T cells with allogeneic antigen-presenting cells. 622

J

Jakobovits, A., Sharon, N., and Zan-Bar, I. Acquisition of mitogenic responsiveness by nonresponding lymphocytes upon insertion of appropriate membrane components. 1274
Johnson, H. M., *See* Steeg, Moore, Johnson, and Oppenheim.
Johnson, J. P., Meo, T., Riethmuller, G., Schendel, D. J., and Wank, R. Direct demonstration of an HLA-DR allotypic determinant on the low molecular weight (beta) subunit using a mouse monoclonal antibody specific for DR3. 104

K

Kanagawa, O., *See* Zubler and Kanagawa.
Kannapell, C. C., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.
Kansas, G. S., *See* Gatenby, Kotzin, Kansas, and Engleman.
Kaplan, G., and Gaudernack, G. In vitro differentiation of human monocytes. Differences in monocyte phenotypes induced by cultivation on glass or on collagen. 1101
Kappas, A., *See* Drummond and Kappas.
Kappler, J. W., *See* Roehm, Marrack, and Kappler.
Karr, R. W., Kannapell, C. C., Stein, J. A., Fuller, T. C., Duquesnoy, R. J., Rodey, G. E., Mann, D. L., Gebel, H. M., and Schwartz, B. D. Demonstration of a third structurally distinct human Ia beta chain by two-dimensional gel electrophoresis. 652
Katz, D. H., *See* Rouzer, Scott, Hamill, Liu, Katz, and Cohn.
—, *See* Schreiber, Altman, and Katz.
Kearney, J. F., *See* Kiyono, McGhee, Mosteller, Eldridge, Koopman, Kearney, and Michalek.
—, *See* Kubagawa, Mayumi, Kearney, and Cooper.
Kelso, A., and Macdonald, H. R. Precursor frequency analysis of lymphokine-secreting alloreactive T lymphocytes. Dissociation of subsets producing interleukin 2, macrophage-activating factor, and granulocyte-macrophage colony-stimulating factor on the basis of Lyt-2 phenotype. 1366
Kemp, D. J., Adams, J. M., Mottram, P. L., Thomas, W. R., Walker, I. D., and Miller, J. F. A. P. A search for messenger RNA molecules bearing immunoglobulin V_H nucleotide sequences in T cells. 1848
King, D. W., *See* Suciu-Foca, Rohowsky, Kung, and King.
Kiyono, H., McGhee, J. R., Mosteller, L. M., Eldridge, J. H., Koopman, W. J., Kearney, J. F., and Michalek, S. M. Murine Peyer's patch T cell clones. Characterization of antigen-specific helper T cells for immunoglobulin A responses. 1115
Klebanoff, S. J., The iron-H_2O_2-iodide cytotoxic system. 1262
Klein, J., *See* Baxevanis, Ishii, Nagy, and Klein.
—, *See* Ishii, Nagy, and Klein.
Klinkert, W. E. F., LaBadie, J. H., and Bowers, W. E. Accessory and stimulating properties of dendritic cells and macrophages isolated from various rat tissues. 1
Köhler, H., *See* Gleason and Köhler.
Kohno, Y., and Berzofsky, J. A. Genetic control of immunne response to myoglobin. *Ir* gene function in genetic restriction between T and B lymphocytes. 1486
—, **and Berzofsky, J. A.** Genetic control of the immune response to myoglobins. Both low and high responder T cells tolerant to the other major histocompatibility complex help high but not low responder B cells. 791
Komatsu, Y., *See* Tokuhisa, Komatsu, Uchida, and Taniguchi.
Koopman, W. J., *See* Conley and Koopman.
—, *See* Kiyono, McGhee, Mosteller, Eldridge, Koopman, Kearney, and Michalek.
Korsmeyer, S. J., Hieter, P. A., Sharrow, S. O., Goldman, C. K., Leder, P., and Waldmann, T. A. Normal human B cells display ordered light chain gene rearrangements and deletions. 975
Kotzin, B. L., *See* Gatenby, Kotzin, Kansas, and Engleman.
Kripke, M. L., *See* Urban, Holland, Kripke, and Schreiber.
Krönke, M., Scheurich, P., Pfizenmaier, K., Rollinghoff, M., and Wagner, H. T-T cell interactions during in vitro cytotoxic T lymphocyte responses. V. Precursor frequencies and specificity of alloreactive helper T cells. 41
Kruisbeek, A. M., *See* Bradley, Kruisbeek, and Singer.

Kubagawa, H., Mayumi, M., Kearney, J. F., and Cooper, M. D. Immunoglobulin V_H determinants defined by monoclonal antibodies. 1010

Kung, P., *See* Suciu-Foca, Rohowsky, Kung, and King.

Kunkel, H. G., *See* Bona, Finley, Waters, and Kunkel.

—, *See* Chiorazzi, Wasserman, and Kunkel.

—, *See* Conner, Nelson, Wisniewolski, Lahita, Blobel, and Kunkel.

—, *See* Mayer, Fu, and Kunkel.

L

LaBadie, J. H., *See* Klinkert, LaBadie, and Bowers.

Lachmann, P. J., Pangburn, M. K., and Oldroyd, R. G. Breakdown of C3 after complement activation. Identification of a new fragment, C3g, using monoclonal antibodies. 205

Lahita, R. G., *See* Conner, Nelson, Wisniewolski, Lahita, Blobel, and Kunkel.

Lamon, E. W., *See* Shaw, Lamon, and Compans.

Lampson, L. A., *See* Shaw, DeMars, Schlossman, Smith, Lampson, and Nadler.

Lanigan, J. M., *See* Clark, Quinn, Winn, Lanigan, Dellepella, and Colvin.

Larsen, C., *See* Stoenner, Dodd, and Larsen.

Le Guern, C., *See* Primi, Mami, Le Guern, and Cazenave.

—, *See* Primi, Mami, Le Guern, and Cazenave.

Lechler, R. I., and Batchelor, J. R. Immunogenicity of retransplanted rat kidney allografts. Effect of inducing chimerism in the first recipient and quantitative studies on immunosuppression of the second recipient. 1835

Leder, P., *See* Korsmeyer, Hieter, Sharrow, Goldman, Leder, and Waldmann.

Lee, S. -H., *See* Sy, Lee, Tsurufuji, Rock, Benacerraf, and Finberg.

Lei, H. -Y., Melvold, R. W., Miller, S. D., and Waltenbaugh, C. Gain/loss of poly($Glu^{50}Tyr^{50}$)/ploy($Glu^{60}Ala^{30}Tyr^{10}$) responsiveness in the *bm12* mutant strain. 596

LeRoy, E. C., *See* Mackel, DeLustro, and LeRoy.

Leung, C. C. K., Isolation, partial characterization, and localization of a rat renal tubular glycoprotein antigen. Antibody-induced birth defects. 372

Levitt, D., *See* Hendershot and Levitt.

Li, L. T. C., *See* Watanabe, Pukel, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.

Linthicum, D. S., and Frelinger, J. A. Acute autoimmune encephalomyelitis in mice. II. Susceptibility is controlled by the combination of H-2 and histamine sensitization genes. 31

Liu, F. -T., *See* Rouzer, Scott, Hamill, Liu, Katz, and Cohn.

Lloyd, K. O., *See* Watanabe, Pukel, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.

Longenecker, B. M., *See* Havele, Wegman, and Longenecker.

Lowy, A., *See* Takaoki, Sy, Tominaga, Lowy, Tsurufuji, Finberg, Benacerraf, and Greene.

Lu, L. P., *See* Young, Young, Lu, Unkeless, and Cohn.

M

Macdonald, H. R., *See* Kelso and Macdonald.

—, **Glasebrook, A. L., and Cerottini, J. -C.** Clonal heterogeneity in the functional requirement for Lyt-2/3 molecules on cytolytic T lymphocytes: analysis by antibody blocking and selective trypsinization. 1711

Mackel, A. M., DeLustro, F., and LeRoy, E. C. Cross-reactivity of cell-mediated immunity between interstitial (type I) and basement membrane (type IV) collagens. 1042

Macphail, S., and Stutman, O. Suppressor T cells activated in a primary in vitro response to non-major histocompatibility alloantigens. 1398

—, **Yron, I., and Stutman, O.** Primary in vitro cytotoxic T cell response to non-major histocompatibility complex alloantigens in normal mice. 610

Mak, T. W., *See* Niho, Shibuya, and Mak.

—, *See* Shibuya, Niho, and Mak.

Mami, F., *See* Primi, Mami, Le Guern, and Cazenave.

—, *See* Primi, Mami, Le Guern, and Cazenave.

Mann, D. L., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.

Mannik, M., *See* Gauthier, Mannik, and Striker.

Marrack, P., *See* Roehm, Marrack, and Kappler.

Mason, D. W., *See* Barclay and Mason.

Mayer, L., Fu, S. M., and Kunkel, H. G. Human T cell hybridomas secreting factors for IgA-specific help, polyclonal B cell activation, and B cell proliferation. 1860

Mayumi, M., *See* Kubagawa, Mayumi, Kearney, and Cooper.

McCombs, C. C., and Michalski, J. P. Lymphocyte abnormality associated with HLA-B8 in healthy young adults. 936

McCubrey, J., and Risser, R. Genetic interactions in the spontaneous production of endogenous murine leukemia virus in low leukemic mouse strains 337

McCubrey, J., Horowitz, J. M., and Risser, R. Structure and expression of endogenous ecotropic murine leukemia viruses in RF/J mice. 1461

McGhee, J. R., *See* Kiyono, McGhee, Mosteller, Eldridge, Koopman, Kearney, and Michalek.

Medof, M. E., Iida, K., Mold, C., and Nussenzweig, V. Unique role of the complement receptor CR1 in the degradation of C3b associated with immune complexes. 1739

Melchers, I., Fey, K., and Eichmann, K. Quantitative studies on T cell diversity. III. Limiting dilution analysis of precursor cells for T helper cells reactive to xenogeneic erythrocytes. 1587

Melvold, R. W., *See* Lei, Melvold, Miller, and Waltenbaugh.

Meo, T., *See* Johnson, Meo, Riethmüller, Schendel, and Wank.

Mertelsmann, R., *See* Welte, Wang, Mertelsmann, Venuta, Feldman, and Moore.

Metcalf, D., *See* Dessein, Vadas, Nicola, Metcalf, and David.

Michalek, S. M., *See* Kiyono, McGhee, Mosteller, Eldridge, Koopman, Kearney, and Michalek.

Michalski, J. P., *See* McCombs and Michalski.

Miller, J. F. A. P., *See* Kemp, Adams, Mottram, Thomas, Walker, and Miller.

—, *See* Thomas, Mottram, and Miller.
Miller, K., *See* Grunwald, Miller, and Risser.
Miller, S. D., *See* Lei, Melvold, Miller, and Waltenbaugh.
Minami, M., Furusawa, S., and Dorf, M. E. I-J restriction on the activation and interaction of parental and F_1-derived Ts_3 suppressor cells. 465
—, **Honji, N, , and Dorf, M. E.** Mechanism responsible for the induction of *I-J* restrictions on Ts_3 suppressor cells. 1502
Mitchell, E. B., and Askenase, P. W. Suppression of T cell-mediated cutaneous basophil hypersensitivity by serum from guinea pigs immunized with mycobacterial adjuvant. 159
Mold, C., *See* Medof, Iida, Mold, and Nussenzweig.
Monroe, J. G., *See* Cambier, Monroe, and Neale.
Moore, M. A. S., *See* Welte, Wang, Mertelsmann, Venuta, Feldman, and Moore.
Moore, R. N., *See* Steeg, Moore, Johnson, and Oppenheim.
Moretta, A., *See* Corte, Moretta, Cosulich, Ramarli, and Bargellesi.
Mosteller, L. M., *See* Kiyono, McGhee, Mosteller, Eldridge, Koopman, Kearney, and Michalek.
Mottram, P., *See* Thomas, Mottram, and Miller.
Mottram, P. L., *See* Kemp, Adams, Mottram, Thomas, Walker, and Miller.
Muchmore, A. V., *See* Hall, Blaese, Davis, Decker, Tack, Colten, and Muchmore.
Müller-Eberhard, H. J., *See* Podack, Tschopp, and Müller-Eberhard.

N

Nabel, G., Allard, J., and Cantor, H. A cloned cell line mediating natural killer cell function inhibits immunoblobulin secretion. 658
Nabholz, M., *See* Conzelmann, Silva, Cianfriglia, Tougne, Sekaly, and Nabholz.
Nadler, L., *See* Hurley, Shaw, Nadler, Schlossman, and Capra.
Nadler, L. M., *See* Shaw, DeMars, Schlossman, Smith, Lampson, and Nadler.
Nagy, Z. A., *See* Baxevanis, Ishii, Nagy, and Klein.
—, *See* Ishii, Nagy, and Klein.
Nardin, E. H., Nussenzweig, V., Nussenzweig, R. S., Collins, W. E., Harinasuta, K. T., Tapchaisri, P., and Chomcharn, Y. Circumsporozoite proteins of human malaria parasites *Plasmodium falciparum* and *Plasmodium vivax*. 20
Nathan, C. F., *See* Szuro-Sudol and Nathan.
Neale, M. J., *See* Cambier, Monroe, and Neale.
Nelson, D., *See* Conner, Nelson, Wisniewolski, Lahita, Blobel, and Kunkel.
Nemlander, A., Soots, A., von Willebrand, E., Husberg, B., and Hayry, P. Redistribution of renal allograft-responding leukocytes during rejection. II. Kinetics and specificity. 1087
Neville, D. M., Jr., *See* Volkman, Ahmad, Fauci, and Neville.
Newman, S. L., Henson, J. E., and Henson, P. M. Phagocytosis of senescent neutrophils by human monocyte-derived macrophages and rabbit inflammatory macrophages. 430
Nicola, N. A., *See* Dessein, Vadas, Nicola, Metcalf, and David.
Niho, Y., *See* Shibuya, Niho, and Mak.
—, **Shibuya, T., and Mak, T. W.** Modulation of erythropoiesis by the helper-independent Friend leukemia virus F-MuLV. 146
Nishizuka, Y., *See* Sakaguchi, Takahashi, and Nishizuka.
—, *See* Sakaguchi, Takahashi, and Nishizuka.
Nunez-Roldan, A., Szer, I., Toguchi, T., Cuttner, J., and Winchester, R. Association of certain Ia allotypes with the occurrence of chronic lymphocytec leukemia. Recognition by a monoclonal anti-Ia reagent of a susceptibility determinant not in the DR series. 1872
Nussenzweig, R. S., *See* Nardin, Nussenzweig, Nussenzweig, Collins, Harinasuta, Tapchaisri, and Chomcharn.
Nussenzweig, V., *See* Medof, Iida, Mold, and Nussenzweig.
—, *See* Nardin, Nussenzweig, Nussenzweig, Collins, Harinasuta, Tapchaisri, and Chomcharn.

O

Odukaira, K., Goodwin, J. S., and Williams, R. C., Jr. Anti-Ia antibody in the sera of normal subjects after in vivo antigenic stimulation. 255
Oettgen, H. F., *See* Watanabe, Pukel, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.
Ohara, J., *See* Watanabe, Eda, and Ohara.
Okada, S., and Strober, S. Spleen cells from adult mice given total lymphoid irradiation or from newborn mice have similar regulatory effects in the mixed leukocyte reaction. I. Generation of antigen-specific suppressor cells in the mixed leukocyte reaction after the addition of spleen cells from adult mice given total lymphoid irradiation. 522
Okumura, K., Hayakawa, K., and Tada, T. Cell-to-cell interaction controlled by immunoglobulin genes. Role of Thy-1^-, Lyt-1^+, Ig^+ (B') cell in allotype-restricted antibody production. 443
Old, L. J., *See* Houghton, Eisinger, Albino, Cairncross, and Old.
—, *See* Watanabe, Pukel, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.
Oldroyd, R. G., *See* Lachmann, Pangburn, and Oldroyd.
Oldstone, M. B. A., *See* Dales and Oldstone.
Oppenheim, J. J., *See* Steeg, Moore, Johnson, and Oppenheim.
Ortiz-Ortiz, L., Weigle, W. O., and Parks, D. E. Deregulation of idiotype expression. Induction of tolerance in an anti-idiotypic response. 898
Owen, F. L., Products of the IgT-C region of chromosome 12 are maturational markers for T cells. Sequence of appearance in immunocompetent T cells parallels ontogenetic appearance of $Tthy^d$, $Tind^d$, and Tsu^d. 703

P

Pangburn, M. K., *See* Lachmann, Pangburn, and Oldroyd.

Papiernik, M., *See* Savino, Dardenne, Papiernik, and Bach.

Parks, D. E., *See* Ortiz-Ortiz, Weigle, and Parks.

Patel, P. J., *See* Havell, Spitalny, and Patel.

Payan, D. G., Trentham, D. E., and Goetzl, E. J. Modulation of human lymphocyte function by C3a and C3a(70-77). 756

Pepys, M. B., *See* Rordorf, Schnebli, Baltz, Tennent, and Pepys.

—, *See* de Beer, Soutar, Baltz, Trainer, Feinstein, and Pepys.

Perry, L. L., and Greene, M. I. Conversion of immunity to suppression by in vivo administration of I-A subregion-specific antibodies. 480

Pevear, D. C., *See* Pfau, Valenti, Pevear, and Hunt.

Pfau, C. J., Valenti, J. K., Pevear, D. C., and Hunt, K. D. Lymphocytic choriomeningitis virus killer T cells are lethal only in weakly disseminated murine infections. 79

Pfizenmaier, K., *See* Krönke, Scheurich, Pfizenmaier, Röllinghoff, and Wagner.

Pierce, C. W., *See* Sorensen and Pierce.

Pierce, J. H., and Aaronson, S. A. BALB- and Harvey-murine sarcoma virus transformation of a novel lymphoid progenitor cell. 873

Pilarski, L. M., and Vergidis, D. Cytotoxic T cell response to minor histocompatibility antigens: apparent lack of H-2 restriction in killers stimulated by membrane fragments. 217

Podack, E. R., *See* Harriman, Podack, Braude, Corbeil, Esser, and Curd.

—, **Tschopp, J., and Muller-Eberhard, H. J.** Molecular organization of C9 within the membrane attack complex of complement. Induction of circular C9 polymerization by the C5b-8 assembly. 268

Primi, D., Mami, F., Le Guern, C., and Cazenave, P. -A. Mitogen-reactive B cell subpopulations selectively express different sets of V regions. 181

—, **Mami, F., Le Guern, C., and Cazenave, P. -A.** The relationship between variable region determinants and antigen specificty varies on mitogen-reactive B cell subsets. 924

Pukel, C. S., *See* Watanabe, Pukel, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.

Q

Quaranta, V., Zanetti, M., and Reisfeld, R. A. A recurrent idiotype on monoclonal anti-human Ia antibodies. 1551

Quinn, J. H., *See* Clark, Quinn, Winn, Lanigan, Dellepella, and Colvin.

R

Raison, R. L., Walker, K. Z., Halnan, C. R. E., Briscoe, D., and Basten, A. Loss of secretion in mouse-human hybrids need not be due to the loss of a structural gene. 1380

Ramarli, D., *See* Corte, Moretta, Cosulich, Ramarli, and Bargellesi.

Ranges, G. E., Goldstein, G., Boyse, E. A., and Scheid, M. P. T cell development in normal and thymopentin-treated nude mice. 1057

Rao, P. E., *See* Biddison, Rao, Talle, Goldstein, and Shaw.

Reisfeld, R. A., *See* Quaranta, Zanetti, and Reisfeld.

Rich, R. E., *See* Smith, Huston, and Rich.

Riethmüller, G., *See* Johnson, Meo, Riethmüller, Schendel, and Wank.

Risser, R., *See* Grunwald, Miller, and Risser.

—, *See* McCubrey and Risser.

—, *See* McCubrey, Horowitz, and Risser.

Rock, K. L., *See* Sy, Lee, Tsurufuji, Rock, Benacerraf, and Finberg.

Roder, J. C., *See* Helfand, Werkmeister, and Roder.

Rodey, G. E., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.

Rodkey, L. S., *See* Binion and Rodkey.

Roehm, N. W., Marrack, P., and Kappler, J. W. Antigen-specific, *H-2*-restricted helper T cell hybridomas. 191

Rohowsky, C., *See* Suciu-Foca, Rohowsky, Kung, and King.

Röllinghoff, M., *See* Krönke, Scheurich, Pfizenmaier, Röllinghoff, and Wagner.

Rordorf, C., Schnebli, H. P., Baltz, M. L., Tennent, G. A., and Pepys, M. B. The acute-phase repsonse in (NZB X NZW)F_1 and MRL/1 mice. Contrasting patterns resembling those in human systemic lupus erythematosus and rheumatoid arthritis, respectively. 1268

Rosen, F. S., *See* Harris, Cairns, Rosen, and Borel.

Rosenberg, S. A., *See* Eberlein, Rosenstein, and Rosenberg.

Rosenstein, M., *See* Eberlein, Rosenstein, and Rosenberg.

Rouzer, C. A., Scott, W. A., Hamill, A. L., Liu, F. -T., Katz, D. H., and Cohn, Z. A. Secretion of leukotriene C and other arachidonic acid metabolites by macrophages challenged with immunoglobulin E immune complexes. 1077

Rubinstein, L. J., Yeh, M., and Bona, C. A. Idiotype-anti-idiotype network. II. Activation of silent clones by treatment at birth with idiotypes is associated with the expansion of idiotype-specific helper T cells. 506

Ruddle, F. H., *See* Sagar, Sehgal, Slate, and Ruddle.

S

Sagar, A. D., Sehgal, P. B., Slate, D. L., and Ruddle, F. H. Mutiple human β interferon genes. 744

Sakaguchi, S., Takahashi, T., and Nishizuka, Y. Study on cellular events in post-thymectomy autoimmune oophoritis in mice. I. Requirement of Lyt-1 effector cells for oocytes damage after adoptive transfer. 1565

—, **Takahashi, T., and Nishizuka, Y.** Study on cellular

events in post-thymectomy autoimmune oophoritis in mice. II. Requirement of Lyt-1 cells in normal female mice for the prevention of oophoritis. 1577

Savino, W., Dardenne, M., Papiernik, M., and Bach, J.-F. Thymic hormone-containing cells. Characterization and localization of serum thymic factor in young mouse thymus studied by monoclonal antibodies. 628

Scharff, M. D., *See* Yelton and Scharff.

Scheid, M. P., *See* Ranges, Scheid, Goldstein, and Boyse.

Schendel, D. J., *See* Johnson, Meo, Riethmüller, Schendel, and Wank.

Scheurich, P., *See* Krönke, Scheurich, Pfizenmaier, Röllinghoff, and Wagner.

Schlossman, S., *See* Hurley, Shaw, Nadler, Schlossman, and Capra.

Schlossman, S. F., *See* Shaw, DeMars, Schlossman, Smith, Lampson, and Nadler.

Schnebli, H. P., *See* Rordorf, Schnebli, Baltz, Tennent, and Pepys.

Schreiber, H., *See* Urban, Holland, Kripke, and Schreiber.

Schreiber, R. D., *See* Beller, Springer, and Schreiber.

—, Altman, A., and Katz, D. H. Identification of a T cell hybridoma that produces large quantities of macrophage-activating factor. 677

Schwartz, B. D., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.

Schwartz, D. H., and Doherty, P. C. Induction of neonatal tolerance to H-2^k in B6 mice does not allow the emergence of T cells specific for H-2^k plus vaccinia virus. 810

Scott, W. A., *See* Rouzer, Scott, Hamill, Liu, Katz, and Cohn.

Sehgal, P. B., *See* Sagar, Sehgal, Slate, and Ruddle.

Sekaly, R. P., *See* Conzelmann, Silva, Cianfriglia, Tougne, Sekaly, and Nabholz.

Sharon, N., *See* Jakobovits, Sharon, and Zan-Bar.

Sharrow, S. O., *See* Korsmeyer, Hieter, Sharrow, Goldman, Leder, and Waldmann.

Shaw, M. W., Lamon, E. W., and Compans, R. W. Immunologic studies on the influenze A virus nonstructural protein NS_1. 243

Shaw, S., *See* Biddison, Rao, Talle, Goldstein, and Shaw.

—, *See* Hurley, Shaw, Nadler, Schlossman, and Capra.

—, DeMars, R., Schlossman, S. F., Smith, P. L., Lampson, L. A., and Nadler, L. M. Serologic identification of the human secondary B cell antigens. Correlations between function, genetics, and structure. 731

Sherman, L. A., Genetic linkage of the cytolytic T lymphocyte repertoire and immunoglobulin heavy chain. 294

Shevach, E. M., *See* Glimcher and Shevach.

Shibuya, T., *See* Niho, Shibuya, and Mak.

—, Niho, Y., and Mak, T. W. Erythroleukemia induction by Friend leukemia virus. A host gene locus controlling early anemia or polycythemia and the rate of proliferation of late erythroid cells. 398

Shigeta, M., *See* Asano, Shigeta, Fathman, Singer, and Hodes.

—, *See* Beck, Frelinger, Shigeta, Infante, Cummings, Hämmerling, and Fathman.

Shiku, H., *See* Watanabe, Pukel, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.

Shively, J. E., *See* Goyert, Shively, and Silver.

Sidell, N., *See* Torten, Sidell, and Golub.

Sigal, N. H., Regulation of azophenylarsonate-specific repertoire expression. I. Frequency of cross-reactive idiotype-positive B cells in A/J and BALB/c mice. 1352

Silagi, S., *See* Calvelli, Freedman, Silverstein, and Silagi.

Silva, A., *See* Conzelmann, Silva, Cianfriglia, Tougne, Sekaly, and Nabholz.

Silver, J., *See* Goyert, Shively, and Silver.

Silverstein, S. C., *See* Calvelli, Freedman, Silverstein, and Silagi.

—, *See* Wright and Silverstein.

Singer, A., and Hodes, R. J. Major histocompatibility complex-restricted self-recognition in responses to trinitrophenyl-Ficoll. Adaptive differentiation and self-recognnition by B cells. 1415

Singer, A., *See* Asano, Shigeta, Fathman, Singer, and Hodes.

—, *See* Bradley, Kruisbeek, and Singer.

—, *See* Flood, Yamauchi, Singer, and Gershon.

Skelly, R. R., *See* Wiktor-Jedrzejczak, Ahmed, Szczylik, and Skelly.

Slate, D. L., *See* Sagar, Sehgal, Slate, and Ruddle.

Smith, J. B., *See* Wolos and Smith.

Smith, P. L., *See* Shaw, DeMars, Schlossman, Smith, Lampson, and Nadler.

Smith, R. III, Huston, D. P., and Rich, R. E. Primary cell-mediated lympholysis responses to a maternally transmitted antigen. 1866

Solbach, W., Tumor-promoting phorbol esters selectively abrogate the expression of the T4 differentiation antigen expressed on normal and malignant (Sézary) T helper lymphocytes. 1250

Soots, A., *See* Nemlander, Soots, von Willebrand, Husberg, and Häyry.

Soper, W. D., Bartlett, S. P., and Winn, H. J. Lysis of antibody-coated cells by platelets. 1210

Sorensen, C. M., and Pierce, C. W. Antigen-specific suppression in genetic responder mice to L-glutamic $acid^{60}$-L-$alanine^{30}$-L-$tyrosine^{10}$ (GAT). Characterization of conventional and hybridoma-derived factors produced by suppressor T cells from mice injected as neonates with syngeneic GAT macrophages. 1691

Sorenson, G. D., *See* Engers, Glasebrook, and Sorenson.

Soutar, A. K., *See* de Beer, Soutar, Baltz, Trainer, Feinstein, and Pepys.

Spitalny, G. L., *See* Havell, Spitalny, and Patel.

Springer, T. A., *See* Beller, Springer, and Schreiber.

Stanton, G. J., *See* Djeu, Stocks, Zoon, Stanton, Timonen, and Herberman.

Steeg, P. S., Moore, R. N., Johnson, H. M., and Oppenheim, J. J. Regulation of murine macrophage Ia antigen expression by a lymphokine with immune interferon activity. 1780

Stein, J. A., *See* Karr, Kannapell, Stein, Fuller, Duquesnoy, Rodey, Mann, Gebel, and Schwartz.

Steinberg, A. D., *See* Cowdery, Curtin, and Steinberg.

Stocks, N., *See* Djeu, Stocks, Zoon, Stanton, Timonen, and Herberman.

Stoenner, H. G., *See* Barbour, Tessier, and Stoenner.

—, Dodd, T., and Larsen, C. Antigenic variation of *Borrelia hermsii*. 1297

Strassmann, G., *See* Wee, Chen, Strassmann, and Bach.

Striker, G. E., *See* Gauthier, Mannik, and Striker.
Strober, S., *See* Okada and Strober.
Stutman, O., *See* Macphail and Stutman.
—, *See* Macphail, Yron, and Stutman.
Suciu-Foca, N., Rohowsky, C., Kung, P., and King, D. W. Idiotype-like determinants on human T lymphocytes alloactivated in mixed lymphocyte culture. 283
Swain, S. L., and Dutton, R. W. Production of a B cell growth-promoting activity, (DL)BCGF, from a cloned T cell line and its assay on the BCL_1 B cell tumor. 1821
Swain, S. L., *See* Wetzel, Swain, and Dutton.
Sy, M. S., *See* Takaoki, Sy, Tominaga, Lowy, Tsurufuji, Finberg, Benacerraf, and Greene.
Sy, M. -S., Lee, S. -H., Tsurufuji, M., Rock, K. L., Benacerraf, B., and Finberg, R. Two distinct mechanisms regulate the in vivo generation of cytotoxic T cells 918
Szczylik, C., *See* Wiktor-Jedrzejczak, Ahmed, Szczylik, and Skelly.
Szer, I., *See* Nunez-Roldan, Szer, Toguchi, Cuttner, and Winchester.
Szuro-Sudol, A., and Nathan, C. F. Suppression of macrophage oxidative metabolism by products of malignant and nonmalignant cells. 945

T

Tack, B. F., *See* Hall, Blaese, Davis, Decker, Tack, Colten, and Muchmore.
Tada, T., *See* Okumura, Hayakawa, and Tada.
Takahashi, T., *See* Sakaguchi, Takahashi, and Nishizuka.
—, *See* Sakaguchi, Takahashi, and Nishizuka.
Takaoki, M, Sy, M. S., Tominaga, A., Lowy, A., Tsurufuji, M., Finberg, R., Benacerraf, B., and Greene, M. I. I-J-restricted interactions in the generation of azobenzenearsonate-specific suppressor T cells. 1325
Takeyama, H., *See* Watanabe, Puke!, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.
Talle, M. A., *See* Biddison, Rao, Talle, Goldstein, and Shaw.
Taniguchi, M., *See* Tokuhisa, Komatsu, Uchida, and Taniguchi.
Taniyama, T., and Watanabe, T. Establishment of a hybridoma secreting a monoclonal antibody specific for activated tumoricidal macrophages. 1286
Tapchaisri, P., *See* Nardin, Nussenzweig, Nussenzweig, Collins, Harinasuta, Tapchaisri, and Chomcharn.
Tennent, G. A., *See* Rordorf, Schnebli, Baltz, Tennent, and Pepys.
Tessier, S. L., *See* Barbour, Tessier, and Stoenner.
Thesingh, C. W., *See* Burger, Van Der Meer, Van De Gevel, Gribnau, Thesingh, and Van Furth.
Thomas, D. W., Hoffman, M. D., and Wilner, G. D. T lymphocyte recognition of peptide antigens. Evidence favoring the formation of neoantigenic determinants. 289
Thomas, W. R., *See* Kemp, Adams, Mottram, Thomas, Walker, and Miller.
—, **Mottram, P., and Miller, J. F. A. P.** Hapten-specific T cell lines mediating delayed hypersensitivity to contact-sensitizing agents. 300
Timonen, T., *See* Djeu, Stocks, Zoon, Stanton, Timonen, and Herberman.
Toguchi, T., *See* Nunez-Roldan, Szer, Toguchi, Cuttner, and Winchester.
Tokuhisa, T., Komatsu, Y., Uchida, Y., and Taniguchi, M. Monoclonal alloantibodies specific for the constant region of T cell antigen receptors. 888
Tominaga, A., *See* Takaoki, Sy, Tominaga, Lowy, Tsurufuji, Finberg, Benacerraf, and Greene.
Torten, M., Sidell, N., and Golub, S. H. Interleukin 2 and stimulator lymphoblastoid cells will induce human thymocytes to bind and kill K562 targets. 1545
Tougne, C., *See* Conzelmann, Silva, Cianfriglia, Tougne, Sekaly, and Nabholz.
Trainer, I., *See* de Beer, Soutar, Baltz, Trainer, Feinstein, and Pepys.
Travassos, L. R., *See* Watanabe, Pukel, Takeyama, Lloyd, Shiku, Li, Travassos, Oettgen, and Old.
Trentham, D. E., *See* Payan, Trentham, and Goetzl.
Tschopp, J., *See* Podack, Tschopp, and Müller-Eberhard.
Tsurufuji, M., *See* Sy, Lee, Tsurufuji, Rock, Benacerraf, and Finberg.
—, *See* Takaoki, Sy, Tominaga, Lowy, Tsurufuji, Finberg, Benacerraf, and Greene.
Tucker, P. W., *See* Yuan and Tucker.

U

Uchida, Y., *See* Tokuhisa, Komatsu, Uchida, and Taniguchi.
Unkeless, J. C., *See* Young, Young, Lu, Unkeless, and Cohn.
Urban, J. L., Holland, J. M., Kripke, M. L., and Schreiber, H. Immunoselection of tumor cell variants by mice suppressed with ultraviolet radiation. 1025

V

Vadas, M. A., *See* Dessein, Vadas, Nicola, Metcalf, and David.
Valenti, J. K., *See* Pfau, Valenti, Pevear, and Hunt.
Van De Gevel, J. S., *See* Burger, Van Der Meer, Van De Gevel, Gribnau, Thesingh, and Van Furth.
Van Der Meer, J. W. M., *See* Burger, Van Der Meer, Van De Gevel, Gribnau, Thesingh, and Van Furth.
Van Furth, R., *See* Burger, Van Der Meer, Van De Gevel, Gribnau, Thesingh, and Van Furth.
Venuta, S., *See* Welte, Wang, Mertelsmann, Venuta, Feldman, and Moore.
Vergidis, D., *See* Pilarski and Vergidis.
Volkman, D. J., Ahmad, A., Fauci, A. S., and Neville, D. M., Jr. Selective abrogation of antigen-specific human B cell responses by antigen-ricin conjugates. 634
von Willebrand, E., *See* Nemlander, Soots, von Willebrand, Husberg, and Häyry.

W

Wagner, H., *See* Krönke, Scheurich, Pfizenmaier, Röllinghoff, and Wagner.

Waldmann, T. A., *See* Korsmeyer, Hieter, Sharrow, Goldman, Leder, and Waldmann.

Walker, I. D., *See* Kemp, Adams, Mottram, Thomas, Walker, and Miller.

Walker, K. Z., *See* Raison, Walker, Halnan, Briscoe, and Basten.

Wallich, R., *See* Arnold, Wallich, and Hämmerling.

—, *See* Cerny, Heusser, Wallich, Hämmerling, and Eardley.

Waltenbaugh, C., *See* Lei, Melvold, Miller, and Waltenbaugh.

Wang, C. Y., *See* Welte, Wang, Mertelsmann, Venuta, Feldman, and Moore.

Wank, R., *See* Johnson, Meo, Riethmüller, Schendel, and Wank.

Wasserman, R. L., *See* Chiorazzi, Wasserman, and Kunkel.

Watanabe, T., *See* Taniyama and Watanabe.

—, **Eda, Y., and Ohara, J.** The restricted nucleocytoplasmic relationship in activation of T and B lymphocytes. 312

—, **Pukel, C. S., Takeyama, H., Lloyd, K. O., Shiku, H., Li, L. T. C., Travassos, L. R., Oettgen, H. F., and Old, L. J.** Human melanoma antigen AH is an autoantigenic ganglioside related to G_{D2}. 1884

Waters, S., *See* Bona, Finley, Waters, and Kunkel.

Wee, S. -L., Chen, L. K., Strassmann, G., and Bach, F. H. Helper cell-independent cytotoxic clones in man. 1854

Wegman, T. G., *See* Havele, Wegman, and Longenecker.

Weigle, W. O., *See* Chenoweth, Goodman, and Weigle.

—, *See* Goodman, Chenoweth, and Weigle.

—, *See* Ortiz-Ortiz, Weigle, and Parks.

Welte, K., Wang, C. Y., Mertelsmann, R., Venuta, S., Feldman, S. P., and Moore, M. A. S. Purification of human interleukin 2 to apparent homogeneity and its molecular heterogeneity 454

Werkmeister, J., *See* Helfand, Werkmeister, and Roder.

Wetzel, G. D., Swain, S. L., and Dutton, R. W. A monoclonal T cell-replacing activity can act directly on B cells to enhance clonal expansion. 306

Wiktor-Jedrzejczak, W., Ahmed, A., Szczylik, C., and Skelly, R. R. Hematological characterization of congenital osteopetrosis in *op/op* mouse. Possible mechanism for abnormal macrophage differentiation. 1516

Williams, R. C., Jr., *See* Odukaira, Goodwin, and Williams.

Wilner, G. D., *See* Thomas, Hoffman, and Wilner.

Winchester, R., *See* Nunez-Roldan, Szer, Toguchi, Cuttner, and Winchester.

Winn, H. J., *See* Clark, Quinn, Winn, Lanigan, Dellepella, and Colvin.

—, *See* Soper, Bartlett, and Winn.

Wisniewolski, R., *See* Conner, Nelson, Wisniewolski, Lahita, Blobel, and Kunkel.

Wolos, J. A., and Smith, J. B. Helper cells in the autologous mixed lymphocyte reaction. III. Production of helper factor(s) distinct from interleukin 2. 1807

Wright, S. D., and Silverstein, S. C. Tumor-promoting phorbol esters stimulate C3b and C3b′ receptor-mediated phagocytosis in cultured human monocytes. 1149

Y

Yamauchi, K., *See* Flood, Yamauchi, Singer, and Gershon.

Yamauchi, K., *See* Flood, Yamauchi, and Gershon.

Yeh, M., *See* Rubinstein, Yeh, and Bona.

Yelton, D. E., and Scharff, M. D. Mutant monoclonal antibodies with alterations in biological functions. 1131

Young, J. D. -E., Young, T. M., Lu, L. P., Unkeless, J. C., and Cohn, Z. A. Characterization of a membrane pore-forming protein from *Entamoeba histolytica*. 1677

Young, T. M., *See* Young, Young, Lu, Unkeless, and Cohn.

Yron, I., *See* Macphail, Yron, and Stutman.

Yuan, D., and Tucker, P. W. Effect of lipopolysaccharide stimulation on the transcription and translation of messenger RNA for cell surface immunoglobulin M. 962

Z

Zan-Bar, I., *See* Jakobovits, Sharon, and Zan-Bar.

Zanetti, M., *See* Quaranta, Zanetti, and Reisfeld.

Zinkernagle, R. M., Selection of restriction specificities of virus-specific cytotoxic T cells in the thymus: no evidence for a crucial role of antigen-presenting cells. 1842

Zoon, K., *See* Djeu, Stocks, Zoon, Stanton, Timonen, and Herberman.

Zubler, R. H., and Kanagawa, O. Requirement for three signals in B cell responses. II. Analysis of antigen- and Ia-restricted T helper cell-B cell interaction. 415

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	A. PUBLICATION NO.	2. DATE OF FILING
THE JOURNAL OF EXPERIMENTAL MEDICINE	2 7 9 9 8 0	30 Sept. 1982
3. FREQUENCY OF ISSUE	**A. NO. OF ISSUES PUBLISHED ANNUALLY**	**B. ANNUAL SUBSCRIPTION PRICE**
Monthly	12	$100

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*

1230 York Avenue, New York, NY 10021

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*

1230 York Avenue, New York, NY 10021

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR *(This item MUST NOT be blank)*

PUBLISHER *(Name and Complete Mailing Address)*

The Rockefeller University Press, 1230 York Avenue, New York, NY 10021

EDITOR *(Name and Complete Mailing Address)*

Drs. Zanvil Cohn, Anthony Cerami, Henry Kunkel, Maclyn McCarty, The Rockefeller University

MANAGING EDITOR *(Name and Complete Mailing Address)*

Publisher (see above)

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed)*

FULL NAME	COMPLETE MAILING ADDRESS
The Rockefeller University	1230 York Avenue
(a non-profit membership corporation)	New York, NY 10021

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

FULL NAME	COMPLETE MAILING ADDRESS
NONE	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 411.3, DMM only)*
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes *(Check one)*

☒ *(1) HAS NOT CHANGED DURING PRECEDING 12 MONTHS*

☐ *(2) HAS CHANGED DURING PRECEDING 12 MONTHS*

(If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES *(Net Press Run)*	4446	V.156, No.4, Oct. 1982 4400
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	0	0
2. MAIL SUBSCRIPTION	3602	3909
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*	3602	3909
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	81	84
E. TOTAL DISTRIBUTION *(Sum of C and D)*	3683	3993
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	763	407
2. RETURN FROM NEWS AGENTS	0	0
G. TOTAL *(Sum of E, F1 and 2 - should equal net press run shown in A)*	4446	4400

11. I certify that the statements made by me above are correct and complete

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

Raymond J. Fastiggi

Raymond T. Fastiggi, Manager, RU Press Accounts

THE JOURNAL OF EXPERIMENTAL MEDICINE

Edited by

Zanvil A. Cohn Anthony Cerami Henry G. Kunkel Maclyn McCarty

Assistant Editors

Allan R. Goldberg Carl Nathan Ralph Steinman

Advisory Editors

K. Frank Austen
Dorothy F. Bainton
Baruj Benacerraf
Dorothea Bennett
Rupert E. Billingham
Barry R. Bloom
Constantin A. Bona
Jean-Charles Cerottini
John R. David
Frank J. Dixon
Shu Man Fu
Emil C. Gotschlich
Hidesaburo Hanafusa
Thomas J. Kindt
Seymour J. Klebanoff
Norman R. Klinman
Richard M. Krause
Frank Lilly
Hans J. Müller-Eberhard
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
William E. Paul
Benvenuto Pernis
Robert R. Rich
David H. Sachs
Gene M. Shearer
Jonathan Sprent
Jonathan W. Uhr
William O. Weigle
Darcy B. Wilson
Henry J. Winn
Rolf M. Zinkernagel



VOLUME 156

1982

PUBLISHED MONTHLY BY
THE ROCKEFELLER UNIVERSITY PRESS

Copyright © 1982 by The Rockefeller University Press

CONTENTS

Volume 156 No. 1 July 1, 1982

1 WOLFGANG E. F. KLINKERT, JON H. LABADIE, and WILLIAM E. BOWERS. Accessory and stimulating properties of dendritic cells and macrophages isolated from various rat tissues

20 ELIZABETH H. NARDIN, VICTOR NUSSENZWEIG, RUTH S. NUSSENZWEIG, WILLIAM E. COLLINS, K. TRANAKCHIT HARINASUTA, PRAMUAN TAPCHAISRI, AND YAOVAMARN CHOMCHARN. Circumsporozoite proteins of human malaria parasites *Plasmodium falciparum* and *Plasmodium vivax*

31 D. S. LINTHICUM and J. A. FRELINGER. Acute autoimmune encephalomyelitis in mice. II. Susceptibility is controlled by the combination of H-2 and histamine sensitization genes

41 MARTIN KRÖNKE, PETER SCHEURICH, KLAUS PFIZENMAIER, MARTIN RÖLLINGHOFF, and HERMANN WAGNER. T-T cell interactions during in vitro cytotoxic T lymphocyte responses. V. Precursor frequencies and specificity of alloreactive helper T cells

55 PAUL A. GATENBY, BRIAN L. KOTZIN, GEOFFREY S. KANSAS, and EDGAR G. ENGLEMAN. Immunoglobulin secretion in the human autologous mixed leukocyte reaction. Definition of a suppressor-amplifier circuit using monoclonal antibodies

68 DENNIS E. CHENOWETH, MICHAEL G. GOODMAN, and WILLIAM O. WEIGLE. Demonstration of a specific receptor for human C5a anaphylatoxin on murine macrophages.

79 CHARLES J. PFAU, JEANINE K. VALENTI, DANIEL C. PEVEAR, and KATHRINE D. HUNT. Lymphocytic choriomeningitis virus killer T cells are lethal only in weakly disseminated murine infections

90 ALAIN J. DESSEIN, MATHEW A. VADAS, NICOS A. NICOLA, DONALD METCALF, and JOHN R. DAVID. Enhancement of human blood eosinophil cytotoxicity by semi-purified eosinophil colony-stimulating factor(s)

104 JUDITH P. JOHNSON, TOMMASO MEO, GERT RIETHMÜLLER, DOLORES J. SCHENDEL, and RUDOLF WANK. Direct demonstration of an HLA-DR allotypic determinant on the low molecular weight (beta) subunit using a mouse monoclonal antibody specific for DR3

112 EDWARD A. HAVELL, GEORGE L. SPITALNY, and PARSOTTAM J. PATEL. Enhanced production of murine interferon γ by T cells generated in response to bacterial infection

128 DALE R. ABRAHAMSON and JOHN P. CAULFIELD. Proteinuria and structural alterations in rat glomerular basement membranes induced by intravenously injected anti-laminin immunoglobulin G

146 YOSHIYUKI NIHO, TSUNEFUMI SHIBUYA, and TAK W. MAK. Modulation of erythropoiesis by the helper-independent Friend leukemia virus F-MuLV

159 E. BRUCE MITCHELL and PHILIP W. ASKENASE. Suppression of T cell-mediated cutaneous basophil hypersensitivity by serum from guinea pigs immunized with mycobacterial adjuvant

173 PHILIP L. COHEN and ROBERT A. EISENBERG. Anti-idiotypic antibodies to the Coombs antibody in NZB F_1 mice

181 DANIÉLE PRIMI, FATHIA MAMI, CHRISTIAN LE GUERN, and PIERRE-ANDRÉ CAZENAVE. Mitogen-reactive B cell subpopulations selectively express different sets of V regions

191 NEAL W. ROEHM, PHILIPPA MARRACK, and JOHN W. KAPPLER. Antigen-specific, *H-2*-restricted helper T cell hybridomas

205 P. J. LACHMANN, M. K. PANGBURN, and R. G. OLDROYD. Breakdown of C3 after complement activation. Identification of a new fragment, C3g, using monoclonal antibodies

217 LINDA M. PILARSKI and DIMITRIOS VERGIDIS. Cytotoxic T cell response to minor histocompatibility antigens: apparent lack of H-2 restriction in killers stimulated by membrane fragments

230 F. C. DE BEER, ANNE K. SOUTAR, MARILYN L. BALTZ, IRIS TRAINER, A. FEINSTEIN, and M. B. PEPYS. Low density lipoprotein and very low density lipoprotein are selectively bound by aggregated C-reactive protein

243 MICHAEL W. SHAW, EDDIE W. LAMON, and RICHARD W. COMPANS. Immunologic studies on the influenza A virus nonstructural protein NS_1

255 KUNIO OKUDAIRA, JAMES S. GOODWIN, and RALPH C. WILLIAMS, JR. Anti-Ia antibody in the sera of normal subjects after in vivo antigenic stimulation

268 ECKHARD R. PODACK, JÜRG TSCHOPP, and HANS J. MÜLLER-EBERHARD. Molecular organization of C9 within the membrane attack complex of complement. Induction of circular C9 polymerization by the C5b-8 assembly

BRIEF DEFINITIVE REPORTS

283 NICOLE SUCIU-FOCA, CHRISTINE ROHOWSKY, PATRICK KUNG, and DONALD W. KING. Idiotype-like determinants on human T lymphocytes alloactivated in mixed lymphocyte culture

289 DAVID W. THOMAS, MICHAEL D. HOFFMAN, and GEORGE D. WILNER. T lymphocyte recognition of peptide antigens. Evidence favoring the formation of neoantigenic determinants

294 LINDA A. SHERMAN. Genetic linkage of the cytolytic T lymphocyte repertoire and immunoglobulin heavy chain

300 W. R. THOMAS, P. MOTTRAM, and J. F. A. P. MILLER. Hapten-specific T cell lines mediating delayed hypersensitivity to contact-sensitizing agents

306 GAYLE D. WETZEL, SUSAN L. SWAIN, and RICHARD W. DUTTON. A monoclonal T cell-replacing activity can act directly on B cells to enhance clonal expansion

312 TAKESHI WATANABE, YASUYUKI EDA, and JUNICHI OHARA. The restricted nucleocytoplasmic relationship in activation of T and B lymphocytes

Volume 156 No. 2 August 1, 1982

321 C. HAVELE, T. G. WEGMANN, and B. M. LONGENECKER. Tolerance and autoimmunity to erythroid differentiation (B-G) major histocompatibility complex alloantigens of the chicken

337 JAMES MCCUBREY and REX RISSER. Genetic interactions in the spontaneous production of endogenous murine leukemia virus in low leukemic mouse strains

350 YOSHIHIRO ASANO, MINORU SHIGETA, C. GARRISON FATHMAN, ALFRED SINGER, and RICHARD J. HODES. Role of the major histocompatibility complex in T cell activation of B cell subpopulations. A single monoclonal T helper cell population activates different B cell subpopulations by distinct pathways

361 PATRICK FLOOD, KATSUMI YAMAUCHI, and RICHARD K. GERSHON. Analysis of the interactions between two molecules that are required for the expression of Ly-2 suppressor cell activity. Three different types of focusing events may be needed to deliver the suppressive signal

372 CHRISTOPHER C. K. LEUNG. Isolation, partial characterization, and localization of a rat renal tubular glycoprotein antigen. Antibody-induced birth defects

385 TIMOTHY J. EBERLEIN, MAURY ROSENSTEIN, and STEVEN A. ROSENBERG. Regression of a disseminated syngeneic solid tumor by systemic transfer of lymphoid cells expanded in interleukin 2

398 TSUNEFUMI SHIBUYA, YOSHIYUKI NIHO, and TAK W. MAK. Erythroleukemia induction by Friend leukemia virus. A host gene locus controlling early anemia or polycythemia and the rate of proliferation of late erythroid cells

415 RUDOLF H. ZUBLER and OSAMI KANAGAWA. Requirement for three signals in B cell responses. II. Analysis of antigen- and Ia-restricted T helper cell-B cell interaction

430 SIMON L. NEWMAN, JANET E. HENSON, and PETER M. HENSON. Phagocytosis of senescent neutrophils by human monocyte-derived macrophages and rabbit inflammatory macrophages

443 KO OKUMURA, KYOKO HAYAKAWA, and TOMIO TADA. Cell-to-cell interaction controlled by immunoglobulin genes. Role of Thy-1^-, Lyt-1^+, Ig^+ (B′) cell in allotype-restricted antibody production

454 KARL WELTE, CHANG YI WANG, ROLAND MERTELSMANN, SALVATORE VENUTA, STUART P. FELDMAN, and MALCOLM A. S. MOORE. Purification of human interleukin 2 to apparent homogeneity and its molecular heterogeneity

465 MUTSUHIKO MINAMI, SHUICHI FURUSAWA, and MARTIN E. DORF. I-J restrictions on the activation and interaction of parental and F_1-derived Ts_3 suppressor cells

480 LINDA L. PERRY and MARK I. GREENE. Conversion of immunity to suppression by in vivo administration of I-A subregion-specific antibodies

492 STEPHEN L. HELFAND, JEROME WERKMEISTER, and JOHN C. RODER. Chemiluminescence response of human natural killer cells. I. The relationship between target cell binding, chemiluminescence, and cytolysis

506 LEONARD J. RUBINSTEIN, MING YEH, and CONSTANTIN A. BONA. Idiotype-anti-idiotype network. II. Activation of silent clones by treatment at birth with idiotypes is associated with the expansion of idiotype-specific helper T cells

522 SHIGEKI OKADA and SAMUEL STROBER. Spleen cells from adult mice given total lymphoid irradiation or from newborn mice have similar regulatory effects in the mixed leukocyte reaction. I. Generation of antigen-specific suppressor cells in the mixed leukocyte reaction after the addition of spleen cells from adult mice given total lymphoid irradiation

539 KRISTINE GLEASON and HEINZ KÖHLER. Regulatory idiotopes. T helper cells recognize a shared V_H idiotope on phosphorylcholine-specific antibodies

550 SANNA M. GOYERT, JOHN E. SHIVELY, and JACK SILVER. Biochemical characterization of a second family of human Ia molecules, HLA-DS, equivalent to murine I-A subregion molecules

567 DOROTHY E. HARRIS, LLOYD CAIRNS, FRED S. ROSEN, and YVES BOREL. A natural model of immunologic tolerance. Tolerance to murine C5 is mediated by T cells, and antigen is required to maintain unresponsiveness

585 AMEL BENAMMAR and PIERRE-ANDRÉ CAZENAVE. A second rabbit kappa isotype

596 HUAN-YAO LEI, ROGER W. MELVOLD, STEPHEN D. MILLER, and CARL WALTENBAUGH. Gain/loss of poly($Glu^{50}Tyr^{50}$)/poly($Glu^{60}Ala^{30}Tyr^{10}$) responsiveness in the *bm12* mutant strain

610 STUART MACPHAIL, ILANA YRON, and OSIAS STUTMAN. Primary in vitro cytotoxic T cell response to non-major histocompatibility complex alloantigens in normal mice

BRIEF DEFINITIVE REPORTS

622 NORIHISA ISHII, ZOLTAN A. NAGY, and JAN KLEIN. Restriction molecules involved in the interaction of T cells with allogeneic antigen-presenting cells

628 WILSON SAVINO, MIREILLE DARDENNE, MARTINE PAPIERNIK, and JEAN-FRANÇOIS BACH. Thymic hormone-containing cells. Characterization and localization of serum thymic factor in young mouse thymus studied by monoclonal antibodies

634 DAVID J. VOLKMAN, ATEEQ AHMAD, ANTHONY S. FAUCI, and DAVID M. NEVILLE, JR. Selective abrogation of antigen-specific human B cell responses by antigen-ricin conjugates

640 LAURIE H. GLIMCHER and ETHAN M. SHEVACH. Production of autoreactive I region-restricted T cell hybridomas

646 RICHARD A. F. CLARK, JANET H. QUINN, HENRY J. WINN, JOAN M. LANIGAN, PATRICIA DELLEPELLA, and ROBERT B. COLVIN. Fibronectin is produced by blood vessels in response to injury

652 ROBERT W. KARR, CAROL C. KANNAPELL, JUDY A. STEIN, THOMAS C. FULLER, RENE J. DUQUESNOY, GLENN E. RODEY, DEAN L. MANN, HOWARD M. GEBEL, and BENJAMIN D. SCHWARTZ. Demonstration of a third structurally distinct human Ia beta chain by two-dimensional gel electrophoresis

658 GARY NABEL, JEFFREY ALLARD, and HARVEY CANTOR. A cloned cell line mediating natural killer cell function inhibits immunoglobulin secretion

664 VIVIAN L. BRACIALE, JAMES R. GAVIN III, and THOMAS J. BRACIALE. Inducible expression of insulin receptors on T lymphocyte clones

670 BERND ARNOLD, REINER WALLICH, and GÜNTER J. HÄMMERLING. Elicitation of delayed-type hypersensitivity to phosphorylcholine by monoclonal anti-idiotypic antibodies in an allogeneic environment

Volume 156 No. 3 September 1, 1982

677 ROBERT D. SCHREIBER, AMNON ALTMAN, and DAVID H. KATZ. Identification of a T cell hybridoma that produces large quantities of macrophage-activating factor

690 MARIANA BJÖRKLUND and ANTONIO COUTINHO. Isotype commitment in the in vivo immune responses. I. Antigen-dependent specific and polyclonal plaque-forming cell responses by B lymphocytes induced to extensive proliferation

703 FRANCES L. OWEN. Products of the IgT-C region of chromosome 12 are maturational markers for T cells. Sequence of appearance in immunocompetent T cells parallels ontogenetic appearance of $Tthy^d$, $Tind^d$, and Tsu^d

719 JAN CERNY, CHRISTOPHER HEUSSER, REINER WALLICH, GUNTER J. HAMMERLING, and DIANE D. EARDLEY. Immunoglobulin idiotopes expressed by T cells. I. Expression of distinct idiotopes detected by monoclonal antibodies on antigen-specific suppressor T cells

731 STEPHEN SHAW, ROBERT DEMARS, STUART F. SCHLOSSMAN, PAULA L. SMITH, LOIS A. LAMPSON, and LEE M. NADLER. Serologic identification of the human secondary B cell antigens. Correlations between function, genetics, and structure

744 ANURAG D. SAGAR, PRAVINKUMAR B. SEHGAL, DORIS L. SLATE, and FRANK H. RUDDLE. Multiple human β interferon genes

756 D. G. PAYAN, D. E. TRENTHAM, and E. J. GOETZL. Modulation of human lymphocyte function by C3a and C3a(70–77)

766 V. JOYCE GAUTHIER, MART MANNIK, and GARY E. STRIKER. Effect of cationized antibodies in preformed immune complexes on deposition and persistence in renal glomeruli

778 RICHARD CIAVARRA and JAMES FORMAN. *H-2L*-restricted recognition of viral antigens. In the *H-2*^{d} haplotype, anti-vesicular stomatitis virus cytotoxic T cells are restricted solely by *H-2L*

791 YOICHI KOHNO and JAY A. BERZOFSKY. Genetic control of the immune response to myoglobins. Both low and high responder T cells tolerant to the other major histocompatibility complex help high but not low responder B cells

810 DAVID H. SCHWARTZ and PETER C. DOHERTY. Induction of neonatal tolerance to H-2^k in B6 mice does not allow the emergence of T cells specific for H-2^k plus vaccinia virus

822 CONSTANTIN N. BAXEVANIS, NORIHISA ISHII, ZOLTAN A. NAGY, and JAN KLEIN. H-2-controlled suppression of T cell response to lactate dehydrogenase B. Characterization of the lactate dehydrogenase B suppressor pathway

834 ROBERT E. HALL, R. MICHAEL BLAESE, ALVIN E. DAVIS III, JEAN M. DECKER, BRIAN F. TACK, HARVEY R. COLTEN, and ANDREW V. MUCHMORE. Cooperative interaction of factor B and other complement components with mononuclear cells in the antibody-independent lysis of xenogeneic erythrocytes

844 VERONIQUE DUPREZ, BRIAN HAMILTON, and STEVEN J. BURAKOFF. Generation of cytolytic T lymphocytes in thymectomized, irradiated, and bone marrow-reconstituted mice

860 STEVEN B. BINION and L. SCOTT RODKEY. Naturally induced auto-anti-idiotypic antibodies. Induction by identical idiotopes in some members of an outbred rabbit family

873 JACALYN HOELZER PIERCE and STUART A. AARONSON. BALB- and Harvey-murine sarcoma virus transformation of a novel lymphoid progenitor cell

888 TAKESHI TOKUHISA, YOSHIKAZU KOMATSU, YOSHIAKI UCHIDA, and MASARU TANIGUCHI. Monoclonal alloantibodies specific for the constant region of T cell antigen receptors

898 L. ORTIZ-ORTIZ, WILLIAM O. WEIGLE, and D. ELLIOT PARKS. Deregulation of idiotype expression. Induction of tolerance in an anti-idiotypic response

BRIEF DEFINITIVE REPORTS

912 MICHAEL G. GOODMAN, DENNIS E. CHENOWETH, and WILLIAM O. WEIGLE. Induction of interleukin 1 secretion and enhancement of humoral immunity by binding of human C5a to macrophage surface C5a receptors

918 MAN-SUN SY, SUN-HWAN LEE, MAKOTO TSURUFUJI, KENNETH L. ROCK, BARUJ BENACERRAF, and ROBERT FINBERG. Two distinct mechanisms regulate the in vivo generation of cytotoxic T cells

924 DANIELE PRIMI, FATHIA MAMI, CHRISTIAN LE GUERN, AND PIERRE-ANDRÉ CAZENAVE. The relationship between variable region determinants and antigen specificity varies on mitogen-reactive B cell subsets

930 N. CHIORAZZI, R. L. WASSERMAN, and H. G. KUNKEL. Use of Epstein-Barr virus-transformed B cell lines for the generation of immunoglobulin-producing human B cell hybridomas

936 CANDACE C. MCCOMBS and JOSEPH P. MICHALSKI. Lymphocyte abnormality associated with HLA-B8 in healthy young adults

Volume 156 No. 4 October 1, 1982

945 ANNA SZURO-SUDOL and CARL F. NATHAN. Suppression of macrophage oxidative metabolism by products of malignant and nonmalignant cells

962 DOROTHY YUAN and PHILIP W. TUCKER. Effect of lipopolysaccharide stimulation on the transcription and translation of messenger RNA for cell surface immunoglobulin M

975 STANLEY J. KORSMEYER, PHILIP A. HIETER, SUSAN O. SHARROW, CAROLYN K. GOLDMAN, PHILIP LEDER, and THOMAS A. WALDMANN. Normal human B cells display ordered light chain gene rearrangements and deletions

986 CONTANTIN A. BONA, SCOTT FINLEY, STANLEY WATERS, and H. G. KUNKEL. Anti-immunoglobulin antibodies. III. Properties of sequential anti-idiotypic antibodies to heterologous anti-γ globulins. Detection of reactivity of anti-idiotype antibodies with epitopes of Fc fragments (homobodies) and with epitopes and idiotopes (epibodies)

1000 DAVID I. BELLER, TIMOTHY A. SPRINGER, and ROBERT D. SCHREIBER. Anti-Mac-1 selectively inhibits the mouse and human type three complement receptor

1010 HIROMI KUBAGAWA, MITSUFUMI MAYUMI, JOHN F. KEARNEY, and MAX D. COOPER. Immunoglobulin V_H determinants defined by monoclonal antibodies

1025 JAMES L. URBAN, J. MICHAEL HOLLAND, MARGARET L. KRIPKE, and HANS SCHREIBER. Immunoselection of tumor cell variants by mice suppressed with ultraviolet radiation

1042 ANNE M. MACKEL, FRANK DELUSTRO, and E. CARWILE LEROY. Cross-reactivity of cell-mediated immunity between interstitial (type I) and basement membrane (type IV) collagens

1057 GERALD E. RANGES, GIDEON GOLDSTEIN, EDWARD A. BOYSE, and MARGRIT P. SCHEID. T cell development in normal and thymopentin-treated nude mice

1065 WILLIAM E. BIDDISON, PATRICIA E. RAO, MARY ANNE TALLE, GIDEON GOLDSTEIN, and STEPHEN SHAW. Possible involvement of the OKT4 molecule in T cell recognition of class II HLA antigens. Evidence from studies of cytotoxic T lymphocytes specific for SB antigens

1077 CAROL A. ROUZER, WILLIAM A. SCOTT, ANNE L. HAMILL, FU-TONG LIU, DAVID H. KATZ, and ZANVIL A. COHN. Secretion of leukotriene C and other arachidonic acid metabolites by macrophages challenged with immunoglobulin E immune complexes

1087 ARTO NEMLANDER, ANU SOOTS, EEVA VON WILLEBRAND, BO HUSBERG, and PEKKA HÄYRY. Redistribution of renal allograft-responding leukocytes during rejection. II. Kinetics and specificity

1101 GILLA KAPLAN and GUSTAV GAUDERNACK. In vitro differentiation of human monocytes. Differences in monocyte phenotypes induced by cultivation on glass or on collagen

1115 HIROSHI KIYONO, JERRY R. MCGHEE, LISA M. MOSTELLER, JOHN H. ELDRIDGE, WILLIAM J. KOOPMAN, JOHN F. KEARNEY, and SUZANNE M. MICHALEK. Murine Peyer's patch T cell clones. Characterization of antigen-specific helper T cells for immunoglobulin A responses

1131 DALE E. YELTON and MATTHEW D. SCHARFF. Mutant monoclonal antibodies with alterations in biological functions

1149 SAMUEL D. WRIGHT and SAMUEL C. SILVERSTEIN. Tumor-promoting phorbol esters stimulate C3b and C3b′ receptor-mediated phagocytosis in cultured human monocytes

1165 JAMES B. DALE and EDWIN H. BEACHEY. Protective antigenic determinant of streptococcal M protein shared with sarcolemmal membrane protein of human heart

1177 DAVID E. BRILES, COLYNN FORMAN, SUSAN HUDAK, J. LATHAM CLAFLIN. Anti-phosphorylcholine antibodies of the T15 idiotype are optimally protective against *Streptococcus pneumoniae*

1186 BARBARA N. BECK, JOHN G. FRELINGER, MINORU SHIGETA, ANTHONY J. INFANTE, D. CUMMINGS, G. HÄMMERLING, and C. GARRISON FATHMAN. T cell clones specific for hybrid I-A molecules. Discrimination with monoclonal anti-I-A^k antibodies

1195 DAVID J. GRUNWALD, KENNETH MILLER, and REX RISSER. P80: a tumor-related protein found in many lymphomas of mice

1210 WILLIAM D. SOPER, SCOTT P. BARTLETT, and HENRY J. WINN. Lysis of antibody-coated cells by platelets

1222 J. Y. DJEU, N. STOCKS, K. ZOON, G. J. STANTON, T. TIMONEN, and R. B. HERBERMAN. Positive self regulation of cytotoxicity in human natural killer cells by production of interferon upon exposure to influenza and herpes viruses

1235 G. R. HARRIMAN, E. R. PODACK, A. I. BRAUDE, L. C. CORBEIL, A. F. ESSER, and J. G. CURD. Activation of complement by serum-resistant *Neisseria gonorrhoeae*. Assembly of the membrane attack complex without subsequent cell death

BRIEF DEFINITIVE REPORTS

1250 WERNER SOLBACH. Tumor-promoting phorbol esters selectively abrogate the expression of the T4 differentiation antigen expressed on normal and malignant (Sézary) T helper lymphocytes

1256 JOHN S. COWDERY, MICHAEL F. CURTIN, JR., and ALFRED D. STEINBERG. Effect of prior intragastric antigen administration on primary and secondary anti-ovalbumin responses of C57Bl/6 and NZB mice

1262 SEYMOUR J. KLEBANOFF. The iron-H_2O_2-iodide cytotoxic system

1268 CHRISTIANE RORDORF, H. P. SCHNEBLI, MARILYN L. BALTZ, GLENYS A. TENNENT, and M. B. PEPYS. The acute-phase response in (NZB × NZW)F_1 and MRL/1 mice. Contrasting patterns resembling those in human systemic lupus erythematosus and rheumatoid arthritis, respectively

1274 AYA JAKOBOVITS, NATHAN SHARON, and ISRAEL ZAN-BAR. Acquisition of mitogenic responsiveness by nonresponding lymphocytes upon insertion of appropriate membrane components

1280 HOWARD D. ENGERS, ANDREW L. GLASEBROOK, and GEORGE D. SORENSON. Allogeneic tumor rejection by the intravenous injection of Lyt-2^+ cytolytic T lymphocyte clones

1286 TADAYOSHI TANIYAMA and TAKESHI WATANABE. Establishment of a hybridoma secreting a monoclonal antibody specific for activated tumoricidal macrophages

Volume 156 No. 5 November 1, 1982

1297 HERBET G. STOENNER, THOMAS DODD, and CAROLE LARSEN. Antigenic variation of *Borrelia hermsii*

1312 ALAN G. BARBOUR, SANDRA L. TESSIER, and HERBERT G. STOENNER. Variable major proteins of *Borrelia hermsii*

1325 MUNEO TAKAOKI, MAN SUN SY, AKIRA TOMINAGA, ADAM LOWY, MAKOTO TSURUFUJI, ROBERT FINBERG, BARUJ BENACERRAF, and MARK I. GREENE. I-J-restricted interactions in the generation of azobenzenearsonate-specific suppressor T cells

1335 ANDREAS CONZELMANN, AUGUSTO SILVA, MAURIZIO CIANFRIGLIA, CHANTAL TOUGNE, RAFICK P. SEKALY, and MARKUS NABHOLZ. Correlated expression of T cell growth factor dependence, sensitivity to *Vicia villosa* lectin, and cytolytic activity in hybrids between cytolytic T cells and T lymphomas

1352 NOLAND H. SIGAL. Regulation of azophenylarsonate-specific repertoire expression. I. Frequency of cross-reactive idiotype-positive B cells in A/J and BALB/c mice

1366 ANNE KELSO and H. ROBSON MACDONALD. Precursor frequency analysis of lymphokine-secreting alloreactive T lymphocytes. Dissociation of subsets producing interleukin 2, macrophage-activating factor, and granulocyte-macrophage colony-stimulating factor on the basis of Lyt-2 phenotype

1380 R. L. RAISON, K. Z. WALKER, C. R. E. HALNAN, D. BRISCOE, and A. BASTEN. Loss of secretion in mouse-human hybrids need not be due to the loss of a structural gene

1390 PATRICK FLOOD, KATSUMI YAMAUCHI, ALFRED SINGER, and RICHARD K. GERSHON. Homologies between cell interaction molecules controlled by major histocompatibility complex- and Igh-V-linked genes that T cells use for communication. Tandem "adaptive" differentiation of producer and acceptor cells

1398 S. MACPHAIL and O. STUTMAN. Suppressor T cells activated in a primary in vitro response to non-major histocompatibility alloantigens

1415 ALFRED SINGER and RICHARD J. HODES. Major histocompatibility complex-restricted self-recognition in responses to trinitrophenyl-Ficoll. Adaptive differentiation and self-recognition by B cells

1435 SAMUEL DALES and MICHAEL B. A. OLDSTONE. Localization at high resolution of antibody-induced mobilization of vaccinia virus hemagglutinin and the major histocompatibility antigens on the plasma membrane of infected cells

1448 DALE L. GREINER, IRVING GOLDSCHNEIDER, and RANDALL W. BARTON. Identification of thymocyte progenitors in hemopoietic tissues of the rat. II. Enrichment of functional prothymocytes on the fluorescence-activated cell sorter

1461 JAMES MCCUBREY, JONATHAN M. HOROWITZ, and REX RISSER. Structure and expression of endogenous ecotropic murine leukemia viruses in RF/J mice

1475 G. E. CONNER, D. NELSON, R. WISNIEWOLSKI, R. G. LAHITA, G. BLOBEL, and H. G. KUNKEL. Protein antigens of the RNA-protein complexes detected by anti-SM and anti-RNP antibodies found in serum of patients with systemic lupus erythematosus and related disorders

1486 YOICHI KOHNO and JAY A. BERZOFSKY. Genetic control of immune response to myoglobin. *Ir* gene function in genetic restriction between T and B lymphocytes

1502 MUTSUHIKO MINAMI, NAOKI HONJI, and MARTIN E. DORF. Mechanism responsible for the induction of *I-J* restrictions on Ts_3 suppressor cells

1516 WIESLAW WIKTOR-JEDRZEJCZAK, AFTAB AHMED, CEZARY SZCZYLIK, and REGINA R. SKELLY. Hematological characterization of congenital osteopetrosis in *op/op* mouse. Possible mechanism for abnormal macrophage differentiation

1528 ANTHONY A. HOLDER and ROBERT R. FREEMAN. Biosynthesis of a *Plasmodium falciparum* schizont antigen recognized by immune serum and a monoclonal antibody

BRIEF DEFINITIVE REPORTS

1539 G. CORTE, A. MORETTA, M. E. COSULICH, D. RAMARLI, and A. BARGELLESI. A monoclonal anti-DC1 antibody selectively inhibits the generation of effector T cells mediating specific cytolytic activity

1545 MICHAEL TORTEN, NEIL SIDELL, and SIDNEY H. GOLUB. Interleukin 2 and stimulator lymphoblastoid cells will induce human thymocytes to bind and kill K562 targets

1551 VITO QUARANTA, MAURIZIO ZANETTI, and RALPH A. REISFELD. A recurrent idiotype on monoclonal anti-human Ia antibodies

1557 CAROLYN HURLEY, STEPHEN SHAW, LEE NADLER, STUART SCHLOSSMAN, and J. DONALD CAPRA. The alpha and beta chains of SB and DR antigens are structurally distinct

1563 Correction

Volume 156 No. 6 December 1, 1982

1565 SHIMON SAKAGUCHI, TOSHITADA TAKAHASHI, and YASUAKI NISHIZUKA. Study on cellular events in post-thymectomy autoimmune oophoritis in mice. I. Requirement of Lyt-1 effector cells for oocytes damage after adoptive transfer

1572 SHIMON SAKAGUCHI, TOSHITADA TAKAHASHI, and YASUAKI NISHIZUKA. Study on cellular events in post-thymectomy autoimmune oophoritis in mice. II. Requirement of Lyt-1 cells in normal female mice for the prevention of oophoritis

1587 INGA MELCHERS, KLAUS FEY, and KLAUS EICHMANN. Quantitative studies on T cell diversity. III. Limiting dilution analysis of precursor cells for T helper cells reactive to xenogeneic erythrocytes

1604 ELS H. BURGER, JOS W. M. VAN DER MEER, JOKE S. VAN DE GEVEL, JAN. C. GRIBNAU, C. WIL THESINGH, and RALPH VAN FURTH. In vitro formation of osteoclasts from long-term cultures of bone marrow mononuclear phagocytes

1615 MARY ELLEN CONLEY and WILLIAM J. KOOPMAN. In vitro regulation of IgA subclass synthesis. I. Discordance between plasma cell production and antibody secretion

1622 LINDA HENDERSHOT and DANIEL LEVITT. Differential regulation of membrane and secretory μ chain synthesis in human B cell lines. Regulation of membrane μ or secreted μ

1635 JOHN C. CAMBIER, JOHN G. MONROE, and MELINDA J. NEALE. Definition of conditions that enable antigen-specific activation of the majority of isolated trinitrophenol-binding B cells

1650 SCOTT M. BRADLEY, ADA M. KRUISBEEK, and ALFRED SINGER. Cytotoxic T lymphocyte responses in allogeneic radiation bone marrow chimeras. The chimeric host strictly dictates the self-repertoire of Ia-restricted T cells but not H-2K/D-restricted T cells

1665 A. NEIL BARCLAY and DONALD W. MASON. Induction of Ia antigen in rat epidermal cells and gut epithelium by immunological stimuli

1677 JOHN D.-E YOUNG, TSEN M. YOUNG, LOUISE P. LU, JAY C. UNKELESS, and ZANVIL A. COHN. Characterization of a membrane pore-forming protein from *Entamoeba hystolytica*

1691 CRAIG M. SORENSEN and CARL W. PIERCE. Antigen-specific suppression in genetic responder mice to L-glutamic acid^{60}-L-alanine^{30}-L-tyrosine^{10} (GAT). Characterization of conventional and hybridoma-derived factors produced by suppressor T cells from mice injected as neonates with syngeneic GAT macrophages

1711 H. ROBSON MACDONALD, ANDREW L. GLASEBROOK, and JEAN-CHARLES CEROTTINI. Clonal heterogeneity in the functional requirement for Lyt-2/3 molecules on cytolytic T lymphocytes: analysis by antibody blocking and selective trypsinization

1723 THERESA A. CALVELLI, VICTORIA H. FREEDMAN, SAMUEL C. SILVERSTEIN, and SELMA SILAGI. Leukocyte subpopulations elicited by a nontumorigenic variant of B16 melanoma: their role in direct rejection of the melanoma and in prevention of tumorigenesis in Winn assays

1739 M. EDWARD MEDOF, KYOKO IIDA, CAROLYN MOLD, and VICTOR NUSSENZWEIG. Unique role of the complement receptor CR_1 in the degradation of C3b associated with immune complexes

1755 ALAN N. HOUGHTON, MAGDALENA EISINGER, ANTHONY P. ALBINO, J. GREGORY CAIRNCROSS, and LLOYD J. OLD. Surface antigens of melanocytes and melanomas. Markers of melanocyte differentiation and melanoma subsets

1767 DAVID E. HARRISON and CLINTON M. ASTLE. Loss of stem cell repopulating ability upon transplantation. Effects of donor age, cell number, and transplantation procedure

1780 PATRICIA S. STEEG, ROBERT N. MOORE, HOWARD M. JOHNSON, and JOOST J. OPPENHEIM. Regulation of murine macrophage Ia antigen expression by a lymphokine with immune interferon activity

1794 CLARK L. ANDERSON. Isolation of the receptor for IgG from a human monocyte cell line (U937) and from human peripheral blood monocytes

1807 JEFFREY A. WOLOS and J. BRUCE SMITH. Helper cells in the autologous mixed lymphocyte reaction. III. Production of helper factor(s) distinct from interleukin 2

1821 SUSAN L. SWAIN and RICHARD W. DUTTON. Production of a B cell growth-promoting activity, (DL)BCGF, from a cloned T cell line and its assay on the BCL_1 B cell tumor

1835 R. I. LECHLER and J. R. BATCHELOR. Immunogenicity of retransplanted rat kidney allografts. Effect of inducing chimerism in the first recipient and quantitative studies on immunosuppression of the second recipient

BRIEF DEFINITIVE REPORTS

1842 ROLF M. ZINKERNAGEL. Selection of restriction specificities of virus-specific cytotoxic T cells in the thymus: no evidence for a crucial role of antigen-presenting cells

1848 D. J. KEMP, J. M. ADAMS, P. L. MOTTRAM, W. R. THOMAS, I. D. WALKER, and J. F. A. P. MILLER. A search for messenger RNA molecules bearing immunoglobulin V_H nucleotide sequences in T cells

1854 SIEW-LIN WEE, LI KUANG CHEN, GIDEON STRASSMANN, and FRITZ H. BACH. Helper cell-independent cytotoxic clones in man

1860 LLOYD MAYER, SHU MAN FU, and HENRY G. KUNKEL. Human T cell hybridomas secreting factors for IgA-specific help, polyclonal B cell activation, and B cell proliferation

1866 ROGER SMITH III, DAVID P. HUSTON, and ROBERT R. RICH. Primary cell-mediated lymphol-ysis responses to a maternally transmitted antigen

1872 ANTONIO NUNEZ-ROLDAN, ILONA SZER, TAKASHI TOGUCHI, JANET CUTTNER, and ROBERT WINCHESTER. Association of certain Ia allotypes with the occurrence of chronic lympho-cytic leukemia. Recognition by a monoclonal anti-Ia reagent of a susceptibility determinant not in the DR series

1878 GEORGE S. DRUMMOND and ATTALLAH KAPPAS. Suppression of heme degradation to bile pigment by chromium-protoporphyrin. Interactions of metalloporphyrins with microsomal heme oxygenase of human spleen

1884 TADASHI WATANABE, CLIFFORD S. PUKEL, HIDEO TAKEYAMA, KENNETH O. LLOYD, HIROSHI SHIKU, LUCY T. C. LI, LUIZ R. TRAVASSOS, HERBERT F. OETTGEN, and LLOYD J. OLD. Human melanoma antigen AH is an autoantigenic ganglioside related to G_{D2}

1890 Correction

1893 Author Index to Volume 156